



SOLUTIONS FOR BUILDING & CONSTRUCTION TRADES.

Hilti Tools, Fastening &
Firestop Systems

THE CLEVER ALTERNATIVE.

We manage your tools so you can manage your business

Hilti Fleet Management

Avoid the hidden costs of owning power tools

Most contractors only think of tools in terms of purchase price. But have you considered the hidden costs associated with owning power tools?

They may be below the surface but they are very real and add up quickly.

With Hilti Fleet Management there is no upfront investment to tool-up for a job. Instead, you pay a fixed monthly charge that covers all tool, service and repair costs. This greatly simplifies your financial planning and takes a load of administrative work off your shoulders.

Here's what some of our Fleet Management customers have to say:

"With Fleet Management you know the tools are going to be there when you need them"

Trent Leen, Director
Bernie Leen & Sons



CONTROL YOUR COSTS

CUT ADMINISTRATION

"Fleet Management gave me more time on site and less worrying about tools"

Norm Touma, Director
Dux Plumbing Services



NO MORE DOWNTIME

"We don't have to worry about (services and repairs). It's effortless"

Richard Tat, National Operations Manager
Aus-Rack Installations



KNOW WHAT YOU HAVE



Contact us to help you optimise your tool fleet

Watch the video to see why professional tradies choose Fleet Management



All inclusive repairs

- No repair costs - ever
- Unlimited battery replacements



Fixed monthly cost

- A low monthly usage fee replaces a large upfront cash investment to tool up
- Predictable costs, every month



Theft coverage

- 80% of losses covered in the event of a theft
- Simply report the tool stolen with a police report. We'll take care of the rest



Streamlined processes

- No more repair quotes – high quality tool repairs returned fast
- Quick and easy order process to add tools to your fleet
- 1 monthly invoice



Tool upgrades

- Use our tools to get the job done, then trade up to the latest technology at the end of the term
- Minimise downtime with a constant fleet of peak performing tools



Loan tools

- In the event of a tool repair we can arrange a loan tool from a designated Kennards Hire branch. Call us on 131 292 and we'll do the rest.



Tool inventory and labelling

- Use Fleet Management Online to track and assign your tools to a specific job, team or worker
- A full tool fleet list helps avoid redundant purchases
- Customised labels makes tracking tools easier

How many tools don't come back after a job?

How many power tools do you have and where are they?

How expensive is it to upgrade your tools to the latest technology?

How often do you repair tools? How much does that cost you?

How often do you lose a tool or have one stolen?

If these questions are a concern for your business, then Hilti Fleet Management may be right for you.

Some limitations apply. Contact Hilti for details.

QUICK, EXPERT REPAIRS.

Clear warranties and repair costs

Hilti Tool Service



We repair and clean your Hilti tools quickly and professionally. We'll even pick them up from your jobsite and return them to site as well.

QUICK TURNAROUND

- 1 day in shop to repair tools plus transit times.
- Smooth onsite pick-up and delivery, thanks to our strong partnerships with trusted carriers.
- All repairs are carried out by our highly trained and certified Hilti tool technicians.
- We only use Hilti spare parts.



CLEAR WARRANTIES AND REPAIR COSTS

Up to 2 years no cost repair or replacement:

We repair your Hilti tool for free for up to 2 years after you buy it, if it breaks down. This includes parts worn by wear and tear, free pick-up and delivery. After the end of the 2 year warranty, you pay for repairs, but repair costs are capped.

3 month no cost repair:

We repair your Hilti tool for free for 3 months after your last Hilti repair, if it breaks down again. This includes wear and tear, free pick-up and delivery.

All tools are covered by our manufacturer's warranty:

Tools are repaired free or replaced if they break due to materials or manufacturing defects, for as long as spare parts are available.

THE PROCESS IS SIMPLE

If you need to organise a repair, just contact us by phone or online and we'll do the rest.

Every Hilti tool is registered, so you don't even require proof of purchase.

Watch the video to know more about our Tool Service

PRODUCTIVITY PLUS.

Complete systems for building & construction trades

Hilti Systems



BUILDING & CONSTRUCTION SYSTEMS

The innovative tools and accessories we supply to the construction industry are as varied as the applications in this field.

We offer a range of products for measuring, drilling, diamond coring, chiselling, cutting, grinding and fastening as well as special solutions for applications such as rebar connections or formwork in construction, renovation and demolition. Our products form fully matched system components, designed for maximum performance and reliability to help you work faster and stay productive longer.

We understand safety is a priority, that's why our dust removal, vibration reduction and active torque control features were developed to provide highly effective user protection.



Measure



Open



Fasten



Close

ACCURATE, RELIABLE AND EASY TO USE.

Hilti Measuring
Systems



PR 30-HVS rotating laser

- Accurate and reliable levelling, aligning and squaring tasks, all performed by one person with remote control
- Fast, automatic laser alignment at up to 150 m performed by one person thanks to Auto Alignment System
- Surveillance mode checks and corrects the laser plane for consistently reliable performance
- Digital slope entry and E-targeting for easy grading tasks
- Shock-absorbing handles and rugged housing



[Click here for more info](#)



PR 2-HS rotating laser

- One button, single function makes the tool extremely easy to use
- Unaffected by sun and light thanks to Pulse Power technology
- Digital measurement indicates precisely how much the measurement deviates from the target value
- Shock-absorbing handles and rugged housing



[Click here for more info](#)



PM 4-M multi-line laser

- Projects clear, 3D vertical lines with a cross on the ceiling
- Rotates around the centre point for fast, easy alignment
- Fine adjustment knob for precise alignment



[Click here for more info](#)




PMC 46 combilaser

- Everything you need for levelling, aligning, plumbing and squaring in one tool
- Includes an innovative universal adapter and compact tripod for placing or mounting the tool wherever needed



[Click here for more info](#)



PD-E laser range meter

- Makes measuring large surface areas, heights and long distances a one person task
- Display is visible even in very bright sunlight
- Built-in optical viewfinder for outdoor measurements
- Measuring functions are aided by graphic display



[Click here for more info](#)

Measure

Open

Fasten

Close

MOBILE AND HIGH PERFORMING.

Hilti Cordless Systems



TE 4-A22 cordless rotary hammer drill

- Repetitive drilling in all directions in concrete and masonry, optimal range 5 – 12 mm
- First class performance to weight ratio
- High battery capacity – more holes per charge
- Hammering mechanism specifically designed for superior drilling performance



[Click here for more info](#)



SFH 22-A cordless hammer drill driver

- Hammer drilling in brick, masonry, sand-lime block and aerated concrete, up to 14 mm
- Unbeaten performance and battery capacity in the 22 volt class
- Best performance-to-weight ratio



[Click here for more info](#)



SFC 22-A compact cordless drill driver

- Versatile tool for hole sawing, driving screws into wood and steel and drilling
- Compact, light weight and ergonomically designed for maximum working comfort
- High performance with speeds up to 1800 / min



[Click here for more info](#)



SIW 22-A cordless impact wrench

- Features brushless motor for long lifetime and more work per charge
- Compact design for easy access in tight corners and small spaces



[Click here for more info](#)



SIW 22T-A 1/2" / SIW 22T-A 3/4" cordless impact wrench

- Assemble steel profiles, timber or pre-cast concrete components
- 1/2" square drive with heavy-duty ball-notch retention for security and quick socket changing (1/2" model)
- 3/4" square drive with through-hole for solid and secure socket retention (3/4" model)



[Click here for more info](#)



SID 22-A cordless impact driver

- Compact design for easy access in tight corners and small spaces
- Perfect balance and light weight



[Click here for more info](#)

Measure

Open

Fasten

Close

MOBILE AND HIGH PERFORMING.

Hilti Cordless Systems



SD 5000-A22 cordless drywall screw driver and magazine

- Powerful speed 5000/min and torque 9.5 Nm
- High battery capacity and fast charging time
- Compact and well balanced with comfortable grip



[Click here for more info](#)



AG 125-A22 cordless angle grinder

- Ergonomic design and safety features eg. disc brake, Active Torque Control (ATC), dead-man's switch
- Brushless motor for three times longer lifetime
- Abrasive cutting discs perfectly matched for optimal performance



[Click here for more info](#)



SCM 22-A cordless metal cut saw

- Cut sandwich panels, mesh and corrugated sheet metal
- Corrective cutting and trimming of sheet metal
- Blade break stops the blade in less than 0.5 sec for maximum safety



[Click here for more info](#)



SC 70W-A22 cordless wood saw

- Cut formwork boards, planks, battens, chipboard, plywood and plastics
- Safety features: fast blade brake, reliable and robust pivoting guard, LED light improves visibility of cutting line, safety power-off battery position
- Blade break stops the blade in less than 0.5 sec for maximum safety



[Click here for more info](#)



SCW 22-A cordless wood saw

- Impressive cutting performance and much lighter than a corded alternative
- Perfect for cutting formwork, plywood, chipboard, plastic, rafters and battens



[Click here for more info](#)



WSR 22-A cordless reciprocating saw

- High-performance, light weight, compact design and long service life
- Active Vibration Reduction (AVR) reduces vibration significantly and makes the tool less tiring to use
- Twice as many cuts in metal per battery charge as other reciprocating saws of the same class



[Click here for more info](#)

Measure

Open

Fasten

Close

MOBILE AND HIGH PERFORMING.

Hilti Cordless Systems



TE 6-A36-AVR cordless rotary hammer drill

- Repetitive drilling in concrete and masonry, optimal range 5 – 16 mm
- High battery capacity, drills more holes per charge than other cordless rotary hammers in the same class
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



[Click here for more info](#)



WSC 7.25-A cordless circular saw

- Performance of a corded saw with the advantage of cordless mobility
- Easy cutting depth adjustment, bevel cuts up to 50°
- Low-friction Teflon-coated saw blades



[Click here for more info](#)




WSR 36-A cordless reciprocating saw

- Ergonomic design for superior handling in all working positions
- Low weight and compact design for maximum mobility even in tight spaces
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity
- Greater performance and versatility with 32 mm stroke length



[Click here for more info](#)



TE 30-A36 cordless combihammer

- Repetitive drilling in concrete and masonry, optimal range 10 – 20 mm
- Active Torque Control (ATC) for maximum safety thanks to automatic cut-out in critical situations
- Active Vibration Reduction (AVR) reduces vibration significantly making the tool less tiring to use
- High capacity battery delivers a full day's work on one charge and powerful charger for shorter charging times



[Click here for more info](#)



VC 40-U-Y universal hybrid vacuum cleaner

- Remove dust created by drilling, slitting, grinding, cutting and coring
- Can be used either corded or cordless, wet and dry operation
- Integrated universal battery charger for all Hilti Li-ion batteries



[Click here for more info](#)

Measure


Open

Fasten

Close

HIGH PERFORMING AND VERSATILE.

Hilti Drilling
Systems



TE 30-A36 cordless combihammer

- Repetitive drilling in concrete and masonry, optimal range 10 – 20 mm
- Active Torque Control (ATC) for maximum safety thanks to automatic cut-out in critical situations
- Active Vibration Reduction (AVR) reduces vibration significantly making the tool less tiring to use
- High capacity battery delivers a full day's work on one charge and powerful charger for shorter charging times



[Click here for more info](#)



TE 30-ATC-AVR combihammer

- Repetitive drilling in concrete and masonry, optimal range 10 – 20 mm
- Light chiselling on brick and block, corrective chiselling and concrete finishing
- Active Vibration Reduction (AVR) reduces vibration significantly making the tool less tiring to use
- Active Torque Control (ATC) for maximum safety thanks to automatic cut-out in critical situations



[Click here for more info](#)



TE 50-AVR combihammer

- Lightest combihammer in the SDS max class
- Repetitive drilling in concrete, masonry and natural stone, optimal range 16 – 25 mm
- Light chiselling on masonry
- Active Vibration Reduction (AVR) reduces vibration significantly making the tool less tiring to use



[Click here for more info](#)



TE 60 combihammer

- Repetitive drilling in concrete and masonry, optimal range 18 – 35 mm
- Coring in masonry and concrete in diameters up to 100 mm with percussion core bits
- Suitable for medium-duty demolition work



[Click here for more info](#)



TE 60-ATC-AVR combihammer

- Repetitive drilling in concrete and masonry, optimal range 18 – 35 mm
- Coring in masonry and concrete in diameters up to 100 mm with percussion core bits (shown)
- Active Torque Control (ATC) for maximum safety thanks to automatic cut-out in critical situations
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



[Click here for more info](#)

Measure

Open

Fasten

Close

HIGH PERFORMING AND VERSATILE.

Hilti Drilling
Systems



TE 70-AVR combihammer

- Repetitive drilling in concrete, masonry and natural stone, optimal range 22 – 40 mm
- Breaching and demolition with pointed and flat chisels
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



[Click here for more info](#)




TE 70-ATC-AVR combihammer

- Repetitive drilling in concrete, masonry and natural stone, optimal range 22 – 40 mm
- Breaching and demolition with pointed and flat chisels
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity
- Active Torque Control (ATC) offers maximum safety thanks to automatic cut-out in critical situations



[Click here for more info](#)




TE-CX / TE-YX hammer drill bits

- Solid carbide with four cutting edges for optimum performance and less chance of drill bit jamming when hitting rebar
- Quality guarantee: Hilti will replace broken bits if wear mark is still visible upon inspection by Hilti staff member



[Click here for more info](#)




TE-CD / TE-YD hollow drill bits

- Drilling holes for anchoring structural steel connections (e.g. steel columns, beams)
- Drilling and hole cleaning performed in one step



[Click here for more info](#)



TE-CP / TE-YP / TE-SP polygon chisels

- Innovative design with self-sharpening tip profile
- Reduced sticking and better breaking effect
- Rubber cup protects tool chuck from dust
- Wide range available to suit all applications



[Click here for more info](#)

Measure

Open

Fasten

Close

POWERFUL, FAST AND SAFE.

Hilti Breaking Systems




TE 700-AVR breaker

- Wall demolition in masonry and brick
- Highest impact energy in its class
- Maintenance-free brushless SR motor for longer service intervals and tool lifetime
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity
- Dust suppression hood available for a virtually dustless environment



[Click here for more info](#)




TE 800-AVR breaker

- Demolition work on concrete walls and floors
- Breaking out openings for doors and windows and making penetrations for ducts and pipes
- Perfectly matched wall chisels designed specifically for wall applications available
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



[Click here for more info](#)



TE 1000-AVR breaker

- Demolition of concrete and masonry
- Unmatched performance thanks to exceptional impact energy and innovative Hilti Polygon chisel
- Maintenance-free brushless SR motor for longer service intervals and tool lifetime
- Detachable supply cord for quick and easy exchange in case of damage
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



[Click here for more info](#)



TE 1500-AVR breaker

- High performance floor breaker
- Maintenance-free brushless SR motor for longer service intervals and tool lifetime
- Low weight and great balance for excellent handling in demanding applications
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



[Click here for more info](#)



TE 3000-AVR breaker

- Heavy-duty demolition of concrete slabs and foundations
- Breaks up to 6 tons of concrete per hour, outperforming compressed air tools
- Maintenance-free brushless SR motor for longer service intervals and tool lifetime
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



[Click here for more info](#)

Measure

Open

Fasten

Close

QUICK, PRECISE AND CLEAN.

Hilti Diamond
Systems



DG 150 diamond grinder

- For grinding surfaces of concrete, mortar and tiles
- Brushless motor for up to 10 times longer lifetime than a conventional angle grinder
- Use with matching Hilti diamond cup wheels for best performance



[Click here for more info](#)



VC 40-U / VC 20-U universal vacuum cleaners

- Remove wet and dry dust caused by drilling, slitting, grinding, cutting and dry coring
- Hilti AirBoost filter technology delivers consistently high suction performance
- Powerful 1200 W motor



[Click here for more info](#)



DD 150-U diamond coring system

- Tremendous versatility to core drill, wet, dry, on the rig or hand-held, from an all-in-one system
- Hand-guided wet drilling for setting large diameter anchors and reinforcing bars
- High motor performance and sturdy three-speed gearing for optimum drilling speed



[Click here for more info](#)



X-CM X-change module

- Re-tip core bits (52 mm and larger) on the jobsite in minutes, using only a screwdriver
- Save 50% space and 50% weight: fit all the diameters you need into a lightweight and convenient Hilti soft bag
- Easy and quick solution when core bits get stuck



[Click here for more info](#)



DSH 900 petrol saw

- High performance and easy starting procedure
- High torque when needed
- Use Hilti diamond blades for lower friction and higher cutting performance
- Low operating costs



[Click here for more info](#)

Measure

Open

Fasten

Close

MAXIMISE YOUR PRODUCTIVITY.

Hilti Direct Fastening Systems



DX 460 MX 72 powder-actuated fastening system

- Highly versatile, fully automatic direct fastening tool can perform a wide variety of tasks
- High fastening rate, perfect for fast, repetitive work



[Click here for more info](#)




DX 2 powder-actuated tool

- Easy to use and maintain
- Extremely efficient fastening method, can perform over 1000 fixings per day
- Fully mobile, minimal dust and less vibration and noise compared with drilling holes



[Click here for more info](#)

X-U




X-U MX universal premium nail

- Premium grade nail with high tensile loads
- Use for a multitude of applications when fastening to concrete and steel e.g. timber, drywall track, sheet metal



[Click here for more info](#)

X-C



X-C concrete nail

- General purpose concrete nail
- Use for many applications when fastening to concrete e.g. timber, drywall track, sheet metal



[Click here for more info](#)



X-CT forming nail

- Fastener has low profile bullet head and pre-determined break-off point for easy removal
- Suitable for temporary fastening of wood to concrete



[Click here for more info](#)



X-FS forming spacer

- Hardly visible after removing forms
- Enables quick and easy positioning of formwork panels on concrete footings



[Click here for more info](#)

Measure

Open

Fasten

Close

EFFICIENT AND PRODUCTIVE.

Hilti Direct Fastening Systems



BX 3-ME battery powered fastening tool

- Ideal for fastening track for permanent formwork panels
- Shoot through steel track into concrete
- Shoot through plastic track into concrete using washer to spread the impact load
- Uses 22 volt, 5.2 Ah battery to power 600 shots. Battery compatible with all Hilti 22 volt cordless tools




[Click here for more info](#)



BX nail & washer system

- X-P B3 MX: Collated nails with ballistic point to ensure reliable fastening
- X-WH B3: Magnetic washer head to shoot washers down over plastic
- 36mm diameter, 0.6mm thick steel washer to shoot washers over plastic



[Click here for more info](#)




GX 120 gas-actuated fastening system

- Highly efficient, repetitive fastening – magazine holds 40 nails
- Fully mobile system, no battery required
- Wide range of nails available for fastening to various base materials
- Drives 750 fasteners with a single gas can



[Click here for more info](#)



Gas can and nails system

- Gas nails for all base materials
- **X-GN:** Suitable for concrete, block and sand-lime stone
- **X-GHP:** Steel and extremely hard concrete
- **X-EGN:** Hard concrete, and pre-cast concrete
- **GC 21:** Gas can, drives maximum 750 fasteners



[Click here for more info](#)



GX 90-WF gas-actuated wood framer

- Very efficient thanks to high performance Li-Ion battery and high magazine loading capacity
- World class safety due to unique safety nosepiece which greatly reduces the risk of free-flying fasteners
- Compatible with standard commercially-available consumables - 34 degree nail collation



[Click here for more info](#)

Measure

Open

Fasten

Close

STRONGEST ANCHORS, WIDEST APPROVALS.

Hilti Chemical
Anchor Systems



HIT-RE 500 V3 ultimate epoxy mortar

- Ultimate performance epoxy mortar for rebar connections and heavy anchoring where a slow cure (7hrs @ 20°) is required
- C1 and C2 ETA seismic approvals
- Suitable for use in cracked and uncracked concrete
- Foil pack minimises wastage



[Click here for more info](#)



HIT-RE 100 everyday epoxy mortar

- Standard epoxy mortar for anchoring and rebar connections where a slow cure is required
- Suitable for use in cracked and uncracked concrete
- Foil pack minimises wastage



[Click here for more info](#)



HIT-HY 200 ultimate hybrid mortar

- Ultimate performance hybrid mortar for fast curing rebar connections and heavy-duty anchoring
- Foil pack minimises wastage
- Low VOC, free of styrene, plasticisers and low odour
- Install with HIT-Z anchor rod for maximum efficiency in large serial applications



[Click here for more info](#)



HIT-HY 270 ultimate hybrid mortar (masonry)

- Ultimate performance hybrid mortar for all masonry materials for rebar connections and anchoring
- Use with HIT-SC composite sleeves for anchoring elements in hollow base materials or blockwork with voids
- Suitable for indoor and outdoor applications
- Foil pack minimises wastage



[Click here for more info](#)



HIT-HY 170 everyday hybrid mortar (concrete and masonry)

- Standard hybrid mortar for rebar connections and anchoring elements in concrete and masonry
- Working time optimised for anchoring and rebar applications in concrete and masonry
- Foil pack minimises wastage
- Install with HIT-Z anchor rod for maximum efficiency in large serial applications



[Click here for more info](#)



HDE 500-A22 battery dispenser systems

- Speedy and safe repetitive dispensing without getting tired
- Up to 3 times faster than manual dispenser
- No dripping or wastage thanks to dosing knob



[Click here for more info](#)

Measure

Open

Fasten

Close

RELIABLE AND COMPLIANT.

Hilti Mechanical Anchor Systems




HUS-V re-usable concrete screw anchor

- Safe re-use can be verified by checking thread wear with Hilti checking gauge
- High installer efficiency requiring less drilling and fewer steps than conventional anchors
- Load data available for fresh concrete
- Ideal for temporary fastenings



[Click here for more info](#)



HUS3-H adjustable concrete screw anchor

- High installer efficiency requiring less drilling and fewer steps than conventional anchors
- Allows highest loads, even in low strength concrete
- Tested and approved adjustability
- Ideal for permanent fastenings and safety critical applications (railings, handrails, formwork and bracing)



[Click here for more info](#)



HSA standard expansion anchor for concrete

- Stud anchor for a wide range of fastening applications
- Fast setting with ETA approved torque bar
- High loads for optimal utilisation of concrete strength



[Click here for more info](#)



HST3 ultimate performance expansion anchor for concrete

- Ultimate stud anchor for challenging geometric requirements including spacing and edge distances
- ETA approved for cracked and uncracked concrete
- All safety relevant fastenings in C1 and C2 seismic loading conditions
- Suitable for use in diamond cored holes and holes drilled with hollow hammer drill bit



[Click here for more info](#)



HSL-3 ultimate performance heavy duty expansion anchor

- High tension and shear load capabilities
- Suitable for dynamic loading including C1 and C2 seismic and shock
- HSL-3B has a red safety cap that ensures correct installation torque is applied even without using a torque wrench



[Click here for more info](#)



HRD standard plastic frame anchor

- Wide range of applications fastening elements to masonry
- Flexible embedment depth (50mm to 70mm)
- Available in several sizes, head types and materials



[Click here for more info](#)

Measure

Open

Fasten

Close

ANCHOR SOLUTIONS BUILT TO CODE.

Hilti Anchor
Systems

NCC COMPLIANCE

To ensure you comply with the National Construction Code (NCC), ask for the ETA documentation for the selected anchor.



STRONGEST ANCHORS

Our anchors are proven to provide the strongest solution for safety critical applications in concrete, fully backed by technical documentation, software and engineering services.

WIDEST RANGE

We offer a full suite of ETA assessed anchoring solutions, to suit every application from basic through to the most complex and challenging.



SAFEset FAST, RELIABLE AND SAFE

- Auto-cleaning with Hilti hollow drill bit
- Dustless
- NCC compliant and ETA approvals for the following products:

- Roughen diamond cored holes for better bonding
- Allows higher loads
- NCC compliant and ETA approved for RE 500 V3



HOT DIPPED GALVANISED

Hilti provides NCC compliant mechanical anchor portfolio in hot dipped galvanised.

Hilti HDG anchors with ETA approval:



TORQUE BAR


This unique setting tool is fast, safe and ETA approved.



SCREW ANCHORS HUS3

Reliable and ETA approved for numerous permanent applications.

- Fast
- No torque wrench
- High loads like stud anchors
- Adjustable
- Cuts through rebar



ETA APPROVED FOR DIAMOND CORED HOLES



1) Cored with Hilti DD EC-1 tool

Measure

Open


Fasten

Close

DONE ONCE. DONE RIGHT.

Hilti Chemical and Firestop Systems

VISIT WWW.HILTI.COM.AU OR CALL 131 292 FOR FIRESTOP APPROVAL DOCUMENTATION




CF 116 filling foam

- High quality metal valve prevents leakage and curing in the can
- Innovative stop-and-go dispenser system for controlled dispensing and minimal wastage
- Large trigger is easy to hold for fast dispensing
- Fills gaps and cracks for reducing drafts, noise, vibration, air and water infiltration



[Click here for more info](#)



CF 126 filling foam

- High yield, up to 55 l
- Self-extinguishing for higher safety
- Innovative stop-and-go dispenser system for controlled dispensing and minimal wastage
- Low build up pressure, ideal for window frame applications



[Click here for more info](#)



CP 606 flexible firestop sealant

- Fire and acoustic rated for easy compliance
- Smoke, fume and water resistant, ideal for use in healthcare projects
- Good adherence without primer for fast and safe installation
- Tested in accordance with Australian standards
- Water-based acrylic, easy to clean with water and paintable



[Click here for more info](#)



CP 611A firestop intumescent sealant

- High expansion firestop mastic for sealing cable and pipe penetrations
- Paintable
- Silicone-free
- Wide range of approvals



[Click here for more info](#)



CFS-PL firestop plug

- Easiest and fastest firestop system for sealing round holes in diameters 107 - 202 mm
- Ideal for the temporarily closing core holes
- Very easy maintenance and retrofitting of cables
- Dust and fibre free, perfect for computer rooms, laboratories and hospitals



[Click here for more info](#)

Measure

Open

Fasten

Close

HILTI ORDERING INFORMATION

MEASURING, ALIGNING AND DETECTION SOLUTIONS

Ordering designation		Item number
Laser range meters		
Laser range meter PD 5	①	2004788
Laser range meter PD-E	②	2062050
Multi-directional lasers		
Multi-line laser PM 4-M	①	2047073
Combilaser PMC 46	②	411207
Point laser PMP 45 + target plates x 3		3478500
Rotating lasers and Optical lasers		
Rotating laser PR 30-HVS + staff + tripod kit	①	3529484
Rotating laser PR 2-HS + staff + tripod kit		3529261
Optical level POL 15 + E-staff + tripod kit	②	3529451
Detection		
Multidetector PS 50	①	2075559
X-Scan system PS 1000	②	2007503
X-Scan PS 1000		2007501



CORDLESS DRILLING, CUTTING AND GRINDING SOLUTIONS

Ordering designation		Item number
22V Cordless kits		
Rotary hammer TE4-A22 + 2x 5.2Ah batteries + fast charger	①	3542555
Hammer drill driver SFH 22-A + 2x 5.2Ah batteries + faster charger	②	3542549
Impact driver SID 22-A + 2 x5.2Ah batteries + fast charger		3542544
Drywall screwdriver SD 5000-A + SMD 57 magazine + 2x 5.2Ah battery + fast charger + 5000x drywall screws		3542553
Impact wrench SIW 22-A + 2x 5.2Ah batteries + fast charger		3542545
Impact wrench SIW 22T-A 1/2" + 2x 5.2Ah batteries + fast charger		3542546
Impact wrench SIW 22T-A 3/4" + 2x 5.2Ah batteries + fast charger		3542547
Reciprocating saw WSR 22-A + 2x 5.2Ah batteries + fast charger		3542560
Circular saw SC 70W-A22 + 2x 5.2Ah batteries + fast charger		3542559
Angle grinder AG 125-A22 + 2x5.2Ah batteries + 100x UP 1mm cutting discs		3542561
Circular saw SCW 22-A + 2x 5.2Ah batteries + fast charger		3542558
Circular saw for metal SCM 22-A + 2x 5.2Ah batteries + fast charger		3542557
36V Cordless kits		
Rotary hammer TE 6-A36-AVR + 2x 3.0 Ah batteries + fast charger	①	3511037
Rotary hammer TE 6-A36-AVR + dust removal system TE DRS-6-A + 2x 3.0Ah batteries + fast charger		3511038
Circular saw WSC 7.25-A36 + 2x 3.9 Ah batteries + fast charger		3511041
Reciprocating saw WSR 36-A + 2x 3.0 Ah batteries + fast charger		3511042
Combihammer TE 30-A36 + 2x 6.0Ah batteries + fast charger		3509856
Hybrid vacuum cleaner VC 40-U-Y + 2x 6.0Ah batteries + fast charger		3511469
Premium drill bits multi-packs SDS Plus		
Hammer drill bit TE-CX M2 set 6 pc: 2x 6/17, 2x 8/17, 2x 10/17	①	436095
Hammer drill bit TE-CX L1 set 12 pc: 1x 5/12, 3x 6/12, 3x 6/17, 3x 8/17, 2 x 10/17	②	411215
Hammer drill bit 8 pc TE-CX 6/17 MP8		2021998
Hammer drill bit 8 pc TE-CX 1/4"-6" MP8		2025906
Hammer drill bit 8 pc TE-CX 8/17 MP8		2022003
Hammer drill bit 8 pc TE-CX 10/17 MP8		2022008
Hammer drill bit 8 pc TE-CX 12/17 MP8		2022012
Standard drill bits multi-packs SDS Plus		
Hammer drill bit TE-C M1 set 6 pc: 1x 5/12, 2x 6/17, 1x 8/17, 1x 10/17, 1x 12/17	①	355466
Hammer drill bit 16 pc TE-C 6/16 MP16		2037086
Hammer drill bit 8 pc TE-C 1/4"-6" MP8		2038093
Hammer drill bit 16 pc TE-C 8/16 MP16		2037091
Hammer drill bit 16 pc TE-C 10/16 MP16	②	2037094
Hammer drill bit 16 pc TE-C 12/16 MP16		2037097
Hammer drill bit 8pc TE-C 1/4"-4" MP8		2038092
Hammer drill bit 8pc TE-C 1/4"-6" MP8		2038093



CORDLESS DRILLING, DRIVING, TORQUING, CUTTING AND GRINDING INSERTS

Ordering designation	Item number
Cordless accessories	
Spade bit WDB-S-H6 16-32 set 6 pc: 16mm, 18mm, 20mm, 22mm, 25mm, 32mm	① 2025582
Twist drill bit HSS set 1-13mm	304939
Auger bit set 6 pc: 12mm, 14mm, 16mm, 18mm, 20mm, 22mm	287029
Circular saw blade metal SC-C MU 165x20 z40 A, suits SCM 22-A	2014797
Circular saw blade wood SCB WU 165x20 z24, suits SCW 22-A	② 2037951
Circular saw blade wood W-CSC 190x30 z24, suits SC 70W-A	2037955
Circular saw blade wood W-CSC 6 1/2x5/8 z24, suits WSC 36-A	237471
Reciprocating saw blade starter kit: 5x MD 23 10, 5x UD 20 10/14, 5x WD 23 6	3537359
Bit set S-BSC+ UNI 25/1" T 10 pc: BH, PH1, PH2, PH3, PZ1, PZ2, PZ3, TX25, TX30, TX40	③ 2039186
Cutting disc AC-D 125 Inox UP 1.0mm	④ 361894
Cutting disc AC-D 115 UP 2.5mm	361875



DIAMOND DRILLING, CUTTING AND GRINDING SYSTEMS

Ordering designation	Item number
Diamond grinders 6"	
Diamond grinder DG 150 + DPC20 + goggles + wrench	① 369393
Diamond grinder DG 150 kit: DG 150 diamond grinder, VC 40-U vacuum system, push bar trolley, DPC20, adapter plate, goggles, wrench, clamping flange, clamping screw (M13), 150m CR-SP grinding disc	3510469
Diamond cup wheel DG-CW 150/6" CR-SP (concrete) red	2055147
Diamond cup wheel DG-CW 150/6" CF-SP (fine finishing) white	2055151
Diamond cup wheel DG-CW 150/6" AS-SP (adhesives, coatings) grey	2055154
Diamond grinders 4.5", 5", 7", 9"	
Angle grinder AG 115-8S	2146579
Angle grinder DEG 125-D (Deadman switch)	285936
Angle grinder DAG 125-S box (Barrel grip)	① 382586
Angle grinder DCG 125-S (Barrel grip)	382580
Angle grinder AG 125-A22 + 2x5.2Ah batteries + 100x UP 1mm cutting discs	② 3542561
Dust extraction hood (grinding) DG-EX 125/5"	③ 267719
Dust extraction hood (cutting) DG-EX 125/5" C	284978
Diamond cup wheel DG-CW 125/5" CR-SP (concrete) red	2055145
Diamond cup wheel DG-CW 125/5" CF-SP (fine finishing) white	2055149
Diamond cup wheel DG-CW 125/5" AS-SP (adhesives, coatings) grey	2055153
Diamond cutting disc Universal Performance DC-D 125/22 UP	425834
Diamond cutting disc Masonry Special Performance DC-D 125/22 M-SP	425852
Diamond cutting disc Concrete Special Performance DC-D 125/22 C-SP	④ 425848
Abrasive cutting disc Universal Performance AC-D 125 Inox UP 1.0mm	361894
Diamond cutting disc DC-D 125 SE C2 (2)	418694
Diamond cutting disc DC-D 125 SE M1 (2)	418695
Diamond cutting disc DC-D 125 SE U10 (4)	360675
Angle grinder AG 180-D + 25x cutting discs (Deadman switch)	3529241
Abrasive cutting disc Universal Performance AC-D 180 Inox UP 1.5mm	361896
Abrasive cutting disc Universal Performance AC-D 180 UP 2.5mm	361878
Diamond cutting disc Concrete Special Performance DC-D 180/ 22 C-SP	425860
Diamond cutting disc DCH-D 185 SE C2 (2)	241358
Diamond cutting disc DCH-D 185 SE M1 (2)	241359
Angle grinder DCG 230-D (Deadman switch)	70741
Diamond cutting disc Concrete Special Performance DC-D 230/22 C-SP	425866
Abrasive cutting disc Universal Performance AC-D 230 UP 2.5mm	⑤ 361879
Petrol saws	
14" Petrol saw DSH 700-35 starter kit: Consumables parts set, hex socket / torx head tool, 350mm UP blade	① 3521380
16" Petrol saw DSH 900-40 starter kit: Consumables parts set, hex socket / torx head tool, 400mm UP blade	② 3521381
Floor saw cart DSH-FSC	431364
Consumable kit DSH	365602



HILTI ORDERING INFORMATION

DIAMOND DRILLING, CUTTING AND GRINDING SYSTEMS

Ordering designation		Item number
Petrol saws (cont'd)		
Diamond cutting disc Universal Performance DC-D 350/25 UP		425783
Diamond cutting disc Universal Performance DC-D 400/25 UP		425787
Diamond cutting disc Concrete Special Performance DC-D 350/25 C-SP		2030469
Diamond cutting disc Concrete Special Performance DC-D 400/25 C-SP		2030477
Diamond cutting disc Asphalt / Bitumen DC-D 350/3.2/25.4 A1		360640
Diamond cutting disc Asphalt / Bitumen DC-D 400/3.2/25.4 A1		360641
Diamond coring		
Diamond drilling system DD EC-1	①	336743
Diamond core bit DD-C 12/150 T2 core bit, suits DD EC-1	②	336889
Diamond core bit DD-C 14/150 T4 core bit, suits DD EC-1		336855
Diamond core bit DD-C 15/150 T4 core bit, suits DD EC-1		336859
Diamond core bit DD-C 16/150 T4 core bit, suits DD EC-1		336861
Diamond core bit DD-C 18/150 T4 core bit, suits DD EC-1		336863
Diamond core bit DD-C 20/150 T4 core bit, suits DD EC-1		336869
Diamond core bit DD-C 16/300 T4 core bit, suits DD EC-1		336862
Diamond core bit DD-C 18/300 T4 core bit, suits DD EC-1		336864
Diamond core bit DD-C 20/300 T4 core bit, suits DD EC-1		336870
Diamond core bit DD-C 22/300 T4 core bit, suits DD EC-1		336873
Diamond core bit DD-C 24/300 T4 core bit, suits DD EC-1		336875
Diamond core bit DD-C 25/300 T4 core bit, suits DD EC-1		336876
Diamond core bit DD-C 28/300 T4 core bit, suits DD EC-1		336878
Diamond drilling and coring		
Essentials kit: diamond coring drill DD 150-U + drill stand + accessory kit	①	3531116
Diamond core bit DD-BI 18/320 LCL, suits DD 150-U		2098114
Diamond core bit DD-BI 20/320 LCL, suits DD 150-U		2098116
Diamond core bit DD-BI 22/320 LCL, suits DD 150-U		2098118
Diamond core bit DD-BI 24/320 LCL, suits DD 150-U		2098119
Diamond core bit DD-BI 25/320 LCL, suits DD 150-U		2098120
Diamond core bit DD-BI 28/320 LCL, suits DD 150-U		2098122
Diamond core bit DD-BI 52/430 LCL	②	2098526
Diamond core bit DD-BI 67/430 LCL		2098529
Diamond core bit DD-BI 77/430 LCL		2098771
Diamond core bit DD-BI 102/430 LCL		2098775
Diamond core bit DD-BI 112/430 LCL		2098776
Diamond core bit DD-BI 122/430 LCL		2098777
Diamond core bit DD-BI 152/430 LCL		2098780
Diamond core bit DD-BI 162/430 LCL		2098781
Vacuum systems		
Vacuum cleaner VC 20-U dry / wet vacuum cleaner + universal filter		2114559
Vacuum cleaner VC 20-U + accessory set		3538829
Vacuum cleaner VC 40-U dry / wet vacuum cleaner + universal filter	①	2114601
Vacuum cleaner VC 40-U dry / wet vacuum cleaner + universal filter + accessory set		3538828
Accessory kit VC 20/40: 2x extension tubes, 1x bend, 1x floor nozzle with lamella seal, 1x set of brushes	②	2044213
Universal filter VC 20/40 - wet & dry applications		2121387
Standard filter VC20/40 - dry applications only	③	2121386
High performance filter (PFTE) - intensive dust/grinding applications		436058
Dust bag VC 20 (10)		203854
Dust bag VC 40 (10)		203852
Combihammer drills		
Cordless combihammer TE 30-A36 + 2x 6.0Ah batteries + fast charger kit		3509856
Combihammer TE 30-C-AVR	①	404270
Combihammer TE 30-ATC-AVR		2069953
Combihammer TE 50-AVR + TE-YX 16/35 drill bit	②	2033580
Combihammer TE 60		427759
Combihammer TE 60-ATC-AVR	③	427776



DIAMOND DRILLING, CUTTING AND GRINDING SYSTEMS

Ordering designation	Item number
Combihammer drills (cont'd)	
Combihammer TE 70-AVR	2063010
Combihammer TE 70-ATC-AVR	④ 2063024
Premium drill bits SDS Plus: suit TE 4-A, TE 6-A, TE 30-A, TE 30 series	
Hammer drill bit TE-CX 12/22	409198
Hammer drill bit TE-CX 12/47	409201
Hammer drill bit TE-CX 14/22	409206
Hammer drill bit TE-CX 14/27	409207
Hammer drill bit TE-CX 16/27	409216
Hammer drill bit TE-CX 16/47	409217
Hammer drill bit TE-CX 18/32	421960
Hammer drill bit TE-CX 18/48	421961
Hammer drill bit TE-CX 20/32	421965
Hammer drill bit TE-CX 20/48	421966
Hammer drill bit TE-CX 22/27	421968
Hammer drill bit TE-CX 22/48	421969
Hammer drill bit TE-CX 24/27	421971
Hammer drill bit TE-CX 25/27	421977
Hammer drill bit TE-CX 25/48	422660
Polygon chisels SDS Plus: suit TE 6-A, TE 30-A, TE 30-C	
Point chisel TE-CP SM 25	282299
Flat chisel TE-CP FM 25	282301
Wide-flat chisel TE-CP SPME 4/18	282304
Wide-flat chisel TE-CP SPME 6/18	282305
Wide-flat chisel TE-CP SPME 8/18	282306
Premium drill bits SDS Max: suit TE 50, TE 60, TE 70	
Hammer drill bit TE-YX 12/35	206499
Hammer drill bit TE-YX 12/55	206500
Hammer drill bit TE-YX 14/35	206502
Hammer drill bit TE-YX 14/55	206503
Hammer drill bit TE-YX 16/35	206506
Hammer drill bit TE-YX 16/55	206507
Hammer drill bit TE-YX 18/32	293052
Hammer drill bit TE-YX 18/52	293053
Hammer drill bit TE-YX 20/32	293141
Hammer drill bit TE-YX 20/52	293142
Hammer drill bit TE-YX 22/32	293161
Hammer drill bit TE-YX 22/52	293167
Hammer drill bit TE-YX 24/32	293182
Hammer drill bit TE-YX 24/52	293193
Hammer drill bit TE-YX 25/32	293210
Hammer drill bit TE-YX 25/52	293217
Hammer drill bit TE-YX 28/32	293233
Hammer drill bit TE-YX 28/52	293235
Polygon chisels SDS Max: suit TE 50, TE 60, TE 70, TE 500, TE 700	
Point chisel TE-YP SM 36	282264
Point chisel TE-YP SM 50	282265
Flat chisel TE-YP FM 36	282268
Flat chisel TE-YP FM 50	282269
Flat chisel TE-YP FM 70	282270
Wide-flat chisel TE-YP SPM 5/28	282271
Wide-flat chisel TE-YP SPM 5/36	282273
Wide-flat chisel TE-YP SPM 8/28	282272
Wide-flat chisel TE-YP SPM 12/36	282274
Offset chisel TE-YP SPMK 12/50	282276
Wide-flat chisel TE-YP SPM 12/50	282275



HILTI ORDERING INFORMATION

DIAMOND DRILLING, CUTTING AND GRINDING SYSTEMS

Ordering designation	Item number
Demolition breakers	
Breaker TE 500-AVR + 2x TE-YP chisels	① 2017053
Breaker TE 700-AVR + 2x TE-YP chisels	2021721
Breaker TE 800-AVR + 2x TE-SP chisels	3529237
Breaker TE 1000-AVR + 2x TE-SP chisels	3527923
Breaker TE 1500-AVR + 2x TE-SP point chisels + 2x TE-SP flat chisels	② 248982
Breaker TE 3000-AVR + trolley + 2x TE-H28P point chisels + 2x TE-H28P flat chisels	③ 3496731
Polygon wave chisels TE-S: suit TE 800, TE 1000, TE 1500	
Point chisel TE-SP SM 36	2065553
Point chisel TE-SP SM 50	2065554
Flat chisel TE-SP FM 36	2065556
Flat chisel TE-SP FM 50	2065557
Narrow-flat chisel TE-SP FM 70	2065558
Wide-flat chisel TE-SP SPM 8/50	406776
Wide-flat chisel TE-SP SPM 12/36	406777
Wide-flat chisel TE-SP SPM 12/50	406778
Offset chisel TE-SP SPMK 12/50	406783
Flexible chisel TE-S BSPM	2079300
Wall point chisel TE-SW SM30	2104282
Wall flat chisel TE-SW FM30	2104283
Chisels HEX28: suit TE 3000	
Pointed chisel TE-H28P SM 40	417824
Narrow-flat chisel TE-H28P FM 40	417826
Pointed chisel TE TE-H28P SM 50	417825
Narrow-flat chisel TE-H28P FM 50	417827
Wide-flat/scaling chisel TE-H28P SPM 8/40	417828
Wide-flat/scaling chisel TE-H28P SPM 8/50	417829
Clay spade chisel TE-H28 SPI 50	417831



DIRECT FASTENING SYSTEMS

Ordering designation	Item number
Gas wood framing system	
Gas framing nailer GX 90-WF + 2x batteries + charger	① 2048668
Gas nail GX-WF 51x2.8 bright triple pack	3537303
Gas nail GX-WF 75x2.8 bright triple pack	3497738
Gas nail GX-WF 75x3.1 bright triple pack	3498784
Gas nail GX-WF 90x3.1 bright triple pack	3497740
Gas nail GX-WF 75x3.1 HDG triple pack	3497742
Gas can GC 32 for 1000 fastenings	② 2005990
Gas-actuated concrete fastening	
Gas-actuated fastening tool GX 120 + 40 nail magazine	① 274638
Magnetic washer holder X-120 WH	② 39619
750x Gas nail X-EGN 14 MX (steel) + gas can	226930
750x Gas nail X-GHP 18 MX (hard concrete) + gas can	226931
750x Gas nail X-GHP 20 MX (concrete) + gas can	226932
750x Gas nail X-GN 20 MX (concrete, block) + gas can	226933
750x Gas nail X-GN 27 MX (concrete, block) + gas can	226934
750x Gas nail X-GN 32 MX (concrete, block) + gas can	226935
750x Gas nail X-GN 39 MX (concrete, block) + gas can	226936
Gas can GC 21 for 750 fastenings	③ 38865
Washer R36-0.6 Eco (no hole)	④ 407951
Battery-actuated concrete fastening	
Battery powered fastening tool BX 3-ME + 2 x 5.2Ah batteries + charger kit	① 3542837
Universal nail X-P 20 B3 MX	② 2105404
Washer holder X-WH B3 packed	③ 2101256
Washer R36-0.6 Eco	④ 407951



















DIRECT FASTENING SYSTEMS

Ordering designation	Item number
Powder-actuated concrete fastening	
Powder-actuated magazine tool DX 460 MX 72	① 371670
Powder-actuated single shot tool DX 460 F8	305174
Piston X-460-P8 (standard)	373297
Fastener guide (single nail) X-460-P8 (standard)	304529
Piston X-AP kwik 1 (for 97mm form working nails)	232310
Piston X-460-PIEL (for X-IE)	377813
Fastener Guide X-460-FIEL (for X-IE)	377812
Buffer X-460-B	373330
Powder-actuated tool DX 351-ME	373107
Piston X-P8S-351	406929
Piston break	331017
Powder-actuated tool DX 2	② 2084261
Piston DX 2 kit	2103082
Cartridges 6.8/11M green	③ 50351
Cartridges 6.8/11M yellow	③ 50352
Cartridges 6.8/11M red	③ 50353
Premium collated nail X-U 22 MX - concrete/steel	237346
Premium collated nail X-U 27 MX - concrete/steel	237347
Premium collated nail X-U 52 MX - concrete/steel	237352
Premium collated nail X-U 62 MX - concrete/steel	237354
Premium collated nail X-U 72 MX - concrete/steel	237356
Premium single nail X-U 22 P8 - concrete/steel	237332
Premium single nail X-U 27 P8 - concrete/steel	237333
Premium single nail X-U 52 P8 - concrete/steel	237338
Premium single nail X-U 62 P8 - concrete/steel	237340
Premium single nail X-U 72 P8 - concrete/steel	237342
Standard collated nail X-C 20 MX - concrete	2091265
Standard collated nail X-C 27 MX - concrete	2091267
Standard collated nail X-C 62 MX - concrete	2091369
Standard collated nail X-C 72 MX - concrete	2091371
Standard single nail X-C 22 P8 - concrete	2091377
Standard single nail X-C 27 P8 - concrete	2091379
Standard single nail X-C 62 P8 - concrete	2091391
Standard single nail X-C 72 P8 - concrete	2091393
Formwork form stop X-FS C52	407346
Formwork form stop X-FS MX	408022
Formwork single nail X-CT 62 P8	383585
Formwork single nail X-CT 72 P8	383586
Formwork single nail X-CT 97 P8	383587
Formwork collated nail X-CT 62 MX	383579
Formwork collated nail X-CT 72 MX	413003
Ceiling assembly premium X-CC U27 P8	④ 386230
Ceiling assembly standard X-CC CS27 P8	2005065
Ceiling assembly standard X-CC27 C27 P8	⑤ 289964
Floor pin assembly standard X-C 22 P8TH	2091374
Insulation fastener X-IE 6-25	2041714
Insulation fastener X-IE 6-50	2041718
Insulation fastener X-IE 6-75	2041741
Insulation fastener X-IE 6-100	2041744
Insulation fastener X-IE 6-120	2041745
Insulation fastener X-IE 6-140	2041393
Hand drive tool BD1 tool (micky pins)	10048
Micky pin PN 514R - concrete/steel	40351
Micky pin PN 518R - concrete/steel	40353
Micky pin PN 525R - concrete/steel	40357



HILTI ORDERING INFORMATION

ANCHORING SYSTEMS

Ordering designation		Item number	
Injectable adhesive anchors & dispensers			
Ultimate performance epoxy mortar HIT-RE 500 V3 500 ml	①	2123406	① 
Standard epoxy mortar HIT-RE 100 500 ml	②	2123386	② 
Ultimate performance hybrid mortar HIT-HY 200-R 300 ml		2045036	③ 
Ultimate performance hybrid mortar HIT-HY 200-R 500 ml	③	2045032	
Ultimate performance hybrid mortar for masonry HIT-HY 270 330 ml		2095982	
Ultimate performance hybrid mortar for masonry HIT-HY 270 500 ml	④	2095983	④ 
Standard hybrid mortar for concrete and masonry HIT-HY 170 330 ml		2132023	
Standard hybrid mortar for concrete and masonry HIT-HY 170 500 ml	⑤	2132024	⑤ 
Injectable mortar HIT-HY 10 330ml		2090365	
Injectable mortar HIT-HY 10 500 ml	⑥	2090366	⑥ 
Cordless battery dispenser HDE 500-A22 CR/CB kit	⑦	3555313	⑦ 
Manual dispenser HDM 500 CR/CB kit		3497417	
Manual dispenser HDM 330 CR/CB kit		3497419	
Chemical anchor rods – Flat Cut to suit HIT chemical injection systems			
Anchor rod HIT-V-5.8 M12x150 – zinc plated		387061	
Anchor rod HIT-V-8.8 M12x220 – zinc plated		387062	
Anchor rod HIT-V-F-5.8 M12x150 – hot dipped galvanised		409557	
Anchor rod HIT-V-F-8.8 M12x220 – hot dipped galvanised		409558	
Anchor rod HIT-V-5.8 M16x200 – zinc plated		387065	
Anchor rod HIT-V-5.8 M16x300 – zinc plated		387066	
Anchor rod HIT-V-F-5.8 M16x200 – hot dipped galvanised		409561	
Anchor rod HIT-V-F-5.8 M16x300 – hot dipped galvanised		409562	
Anchor rod HIT-V-5.8 M20x180 – zinc plated		387068	
Anchor rod HIT-V-5.8 M20x260 – zinc plated		387069	
Anchor rod HIT-V-5.8 M20x380 – zinc plated		387070	
Anchor rod HIT-V-F-5.8 M20x180 – hot dipped galvanised		409564	
Anchor rod HIT-V-F-5.8 M20x260 – hot dipped galvanised		409565	
Anchor rod HIT-V-F-5.8 M20x380 – hot dipped galvanised		409566	
Chemical anchor rods: to suit HVU capsule & HIT chemical injection systems			
Anchor rod HAS-E M12x110/28 – zinc plated		332221	
Anchor rod HAS-E-F M12x110/28 – hot dipped galvanised		333148	
Anchor rod HAS-E M16x125/38 – zinc plated		332222	
Anchor rod HAS-E-F M16x125/38 – hot dipped galvanised		333153	
Anchor rod HAS-E M20x170/48 – zinc plated		332223	
Anchor rod HAS-E-F M20x170/48 – hot dipped galvanised		333158	
Internally threaded rods: to suit HVU capsule & HIT chemical injection systems			
Internally threaded sleeve HIS-N M10x110		258016	
Internally threaded sleeve HIS-N M12x125		258017	
Internally threaded sleeve HIS-N M16x170		258018	
Internally threaded sleeve HIS-N M20x205		258019	
Setting tool HIS-S M10		45965	
Setting tool HIS-S M12		45966	
Setting tool HIS-S M16		45967	
Setting tool HIS-S M20		45968	
Capsule adhesive anchors			
Adhesive capsule HVU M12x110		256693	
Adhesive capsule HVU M16x125		256694	
Adhesive capsule HVU M20x170		256695	
Setting tool TE-C-E M12		369225	
Setting tool TE-C-E M16		369226	
Setting tool TE-Y-E M16		369227	
Setting tool TE-Y-E M20		369228	

ANCHORING SYSTEMS

Ordering designation	Item number
Premium stud anchors	
HSA M12x100 - zinc plated	2004155
HSA M12x145 - zinc plated	2004157
HSA-F M12x100 - hot dipped galvanised	2004173
HSA-F M12x145 - hot dipped galvanised	2004175
HSA M16x102 - zinc plated	2004161
HSA M16x137 zinc plated	2004163
HSA-F M16x102 - hot dipped galvanised	2004177
HSA-F M16x137 - hot dipped galvanised	2004178
HSA M20x125 - zinc plated	2036088
HSA M20x170 - zinc plated	2036089
HSA-F M20x125 - hot dipped galvanised	2036312
HSA-F M20x170 55/30/- hot dipped galvanised	2036313
Premium stud anchors for cracked and uncracked concrete (visit website for full range)	
Safety stud anchor HST3 M10x70 10/-	2113974
Safety stud anchor HST3 M10x100 40/20	2105713
Safety stud anchor HST3 M12x85 10/-	2113978
Safety stud anchor HST3 M16x135 35/15	2105858
Safety stud anchor HST3 M20x170 -/30	2105891
Standard stud anchors	
HSV M12x100 - zinc plated	2041607
HSV M12x120 - zinc plated	2041609
HSV-F M12x100 - hot dipped galvanised	2120414
HSV-F M12x140 - hot dipped galvanised	2120416
HSV M16x120 - zinc plated	2041611
HSV M16x140 - zinc plated	2041612
HSV-F M16x110 - hot dipped galvanised	2120417
HSV-F M16x140 - hot dipped galvanised	2120419
Sleeve Anchors	
Sleeve anchor HLC 10x40/5	385819
Sleeve anchor HLC 10x50/15	385820
Sleeve anchor HLC 10x50/15 bucket	385821
Sleeve anchor HLC 10x60/25	385822
Sleeve anchor HLC 10x80/45	385823
Sleeve anchor HLC 10x100/65	385824
Sleeve anchor HLC 12x55/15	385825
Sleeve anchor HLC 12x55/15 bucket	385826
Sleeve anchor HLC 12x75/35	385827
Sleeve anchor HLC 12x75/35 bucket	385828
Sleeve anchor HLC 12x100/60	385829
Concrete screw anchors (permanent applications)	
Screw anchor HUS3-H 6x40/5	416735
Screw anchor HUS3-H 8x55 5/-/-	2079794
Screw anchor HUS3-H 8x65 15/5/-	2079795
Screw anchor HUS3-H 8x75 25/15/5	2079796
Screw anchor HUS3-H 10x60 5/-/-	2079911
Screw anchor HUS3-H 10x70 15/-/-	2079912
Screw anchor HUS3-H 10x80 25/5/-	2079913
Screw anchor HUS3-H 10x100 45/25/15	2079915
Screw anchor HUS3-H 14x100 35/15/-	2079922
Screw anchor HUS3-H 14x130 65/45/15	2079923
Check gauge HRG 8	2092003
Check gauge HRG 10	2090674
Check gauge HRG 14	2090675



HILTI ORDERING INFORMATION


ANCHORING SYSTEMS

Ordering designation	Item number
Concrete screw anchors (temporary applications)	
Screw anchor HUS-V 8x55 5/-	2079937
Screw anchor HUS-V 8x75 25/10	2079938
Screw anchor HUS-V 10x60 5/-	2079941
Screw anchor HUS-V 10x85 30/10	2079942
Screw anchor HUS-V 10x95 40/20	2079943
Screw anchor HUS-V 10x105 50/30	2079944
Check gauge HRG 8	2092003
Check gauge HRG 10	2090674
Plastic frame anchors	
Frame anchor HRD-H 10x80 - hex head, zinc plated	423871
Frame anchor HRD-C 10x80 - countersunk head, zinc plated	423860
Frame anchor HRD-H 10x100 - hex head, zinc plated	423872
Frame anchor HRD-C 10x100 - countersunk head, zinc plated	423861
Frame anchor HRD-H 10x120 - hex head, zinc plated	423873
Frame anchor HRD-C 10x120 - countersunk head, zinc plated	423862
Frame anchor HRD-H 10x140 - hex head, zinc plated	423874
Frame anchor HRD-C 10x140 - countersunk head, zinc plated	423863
Frame anchor HRD-H 10x180 - hex head, zinc plated	423876
Frame anchor HRD-C 10x180 - countersunk head, zinc plated	423865
Plastic impact anchors	
Bunched cable holder ECH-L	① 266693
Impact anchor HPS-1 6/5x30	260349
Impact anchor HPS-1 6/10x35	230516
Impact anchor HPS-1 6/15x40	260350
Impact anchor HPS-1 6/25x50	260351
Impact anchor HPS-1 6/40x65	260352



CHEMICAL AND FIRESTOP SOLUTIONS

Ordering designation	Item number
Premium expanding foam	
High yield dispenser foam CF 126 (750ml)	① 220439
Cleaner CFR1 500ml	20162
Dispenser CF DS-1 for CF 126 foam	② 259768
CF 126 combo: 12x CF 126 foam + CF DS-1 dispenser	3417582
Standard expanding foam	
Filling foam CF 116 500ml	① 321423
CF 116 combo: 12x CF 116 (500ml)	3520985
Filling foam CF-F 750ml	② 373965
CF-F 750 combo: 12x CF-F 750 (750ml)	3539325
Firestop sealants	
Acrylic firestop sealant CP 606 foil pack 580ml grey	① 209633
Silicone firestop sealant CP 601S 310ml includes nozzle x1	310635
Intumescent firestop sealant CP 611A cartridge 310ml	② 220351
Firestop foam	
Firestop foam CFS-F FX includes mixer nozzle x1	429802
Firestop plugs, blocks and cushions	
Firestop plug CFS-PL 107	2059530
Firestop plug CFS-PL 132	2059531
Firestop plug CFS-PL 158	2059532
Firestop plug CFS-PL 202	2059533



CHEMICAL AND FIRESTOP SOLUTIONS

Ordering designation		Item number
Firestop plugs, blocks and cushions (cont'd)		
Firestop block CFS-BL	①	2062863
Firestop putty bandage CFS-P BA	②	2062876
Firestop cushion CP 651N-S small 300x40x30mm		382624
Firestop cushion CP 651N-M medium 300x80x30mm		382625
Firestop cushion CP 651N-L large 300x170x30mm		382626
Firestop collars – retro fit		
Firestop collar CFS-C P 50/1.5" includes fastening hooks x2		435406
Firestop collar CFS-C P 63/2" includes fastening hooks x2		435407
Firestop collar CFS-C P 75/2.5" includes fastening hooks x3		435408
Firestop collar CFS-C P 90/3" includes fastening hooks x3		435409
Firestop collar CFS-C P 110/4" includes fastening hooks x4		435410
Firestop collar CFS-C P 125/5" includes fastening hooks x4		435411
Firestop collar CFS-C P 160/6" includes fastening hooks x6		435412
Firestop collar CFS-C P 180/7" includes fastening hooks x8		435413
Firestop collar CFS-C P 200/8" includes fastening hooks x8		435414
Firestop collar CFS-C P 225/9" includes fastening hooks x10		435415
Firestop collar CFS-C P 250/10" includes fastening hooks x12		435416
Screw anchor HUS3-P 6x40/5	①	416745
Wedge anchor DBZ 6/4.5	②	256312
Firestop collars – cast-in		
Cast-In firestop collar CP 680 75/2.5" N		282694
Cast-In firestop collar CP 680 110/4" S	①	273341
Cast-in firestop collar CP 680 160/6" N		282696
Retrofit addition device CP 680 75/2.5" N-RAD for floor waste		3424903
Retrofit addition device CP 680 110/4" N-RAD for floor waste	②	3413068



PROFESSIONAL ASSISTANCE.

Helps make every project a success

Hilti Engineering Services



HILTI SERVICE SUPPORT POLICY

The availability of professional technical support is just as important to Hilti as the production of quality tools. Our team of Field Engineers provide expert technical support, on site or by telephone. We know that every day on the job site brings a new challenge and that's why Hilti Engineers are on-hand to consult on a wide range of technical solutions.



PROJECT SUPPORT

Hilti project managers and engineers assist by coordinating logistics and technical support for defined projects.

ON-SITE TECHNICAL CONSULTING

Our engineers provide on-site support at any location. They offer a consulting service for engineers and construction professionals on specific application needs. Training and site-testing is also a service we can offer.

TECHNICAL SOFTWARE AND DOCUMENTS

Our innovative and practical software solutions cover everything from anchor design and selection, to installation concepts, and are available to support you in your daily work. Technical documents such as approvals, test certificates and technical data sheets can be viewed and downloaded from Hilti Online at www.hilti.com.au/downloads

CONTACT US

For any of these services you can contact us on **131 292** or serviceaustralia@hilti.com



ANCHOR QUALITY AND SAFETY ASSURANCE.

Site testing for rebar
and anchors



Call 131 292 or email serviceaustralia@hilti.com

AVAILABLE AS YOU NEED.

How to get in touch

Contacting Hilti

CUSTOMER SERVICE

Customer Service representatives are available Monday to Friday from 7:30am to 5:00pm. Our professionally trained team can help you with product advice, orders and deliveries, as well as organising on-site product demonstrations.

Call: 131 292 Fax: 1300 135 042 Email: serviceaustralia@hilti.com

HILTI STORES

With outlets located nationally, Hilti Stores are much more than display or sales points for Hilti products. At a Hilti Store, you can receive professional advice on products and applications. You can also have hands-on demonstrations of Hilti products. Take a look at our list of Hilti Stores for a location near you.

Visit: www.hilti.com.au

HILTI ONLINE


7 days a week, 24 hours a day. Use the website at your own convenience during and after office hours, with quick access to product information and pricing. Register to order online, review your order history, see your tool list and more. Take advantage of our free delivery for online ordering today!

Visit: www.hilti.com.au

ACCOUNT MANAGERS

Professionally trained Account Managers are readily available nationwide, to visit your place of work, where and when you want. By arranging a visit to you, they can help evaluate your job requirements and suggest ways to increase your productivity and profitability.

Call: 131 292



Sydney – Lidcombe
35 Parramatta Road,
Lidcombe NSW 2141
Mon – Fri 7.00am – 5.00pm

Sydney – Alexandria **NEW**
154 Bourke Road,
Alexandria NSW 2015
Mon – Fri 7.00am – 5.00pm

Sydney – Annandale
245a Parramatta Road,
Annandale NSW 2038
Mon – Fri 7.00am – 4.00pm

Newcastle
70-72 Orlando Road,
Lambton NSW 2299
Mon – Fri 7.00am – 4.00pm

Melbourne
203-205 Normanby Road,
South Melbourne VIC 3205
Mon – Fri 7.00am – 5.00pm

Brisbane
718 Kingsford Smith Drive,
Hamilton QLD 4007
Mon – Fri 7.00am – 5.00pm

Gold Coast
Unit 5/46-50 Spencer Road,
Nerang QLD 4211
Mon – Fri 7.00am – 4.00pm

Townsville
Unit 8/264 Woolcock Street,
Currajong QLD 4812
Mon – Fri 7.30am – 4.30pm

Cairns
29 Hannam Street,
Cairns QLD 4870
Mon – Fri 7.30am – 4.30pm

Adelaide
52 Richmond Road,
Keswick SA 5035
Mon – Fri 7.00am – 5.00pm

Perth
150 Abernethy Road
Belmont WA 6104
Mon – Fri 7.00am – 5.00pm

Darwin
32 Benison Road,
Winnellie NT 0820
Mon – Fri 7.30am – 4.30pm

Hobart
56a Hopkins Street,
Moonah TAS 7009
Mon – Fri 7.30am – 4.30pm



Hilti (Aust.) Pty Ltd
Level 5, 1G Homebush Bay Drive
Rhodes NSW 2138

P 131 292
F 1300 135 042
www.hilti.com.au

