



SOLUTIONS FOR INTERIOR FINISHING TRADES

Hilti Tools, Fastening &
Firestop Systems



WE HELP YOU INCREASE YOUR PRODUCTIVITY

Transparency brings efficiency

Hilti Asset Management

Missing equipment, expired certifications and broken tools can cost your business time and money. Good asset management is crucial for staying on top of these challenges and helps increase your overall profitability.

Your company's future competitiveness depends on the productivity gains you can achieve today.


IT ALL STARTS WITH A HALF DAY ONSITE ANALYSIS



We observe operations within your sites, offices and warehouses to map your current processes



We identify and validate inefficiencies in management of your assets on an employee and administration level



We document and quantify the impact of your current business challenges and the goals you want to achieve



To request a consultation, email auontrack@hilti.com, visit www.hilti.com.au/ontrack or scan the code.





Our specialist consultants are professionally trained in productivity improvement and process optimisation. Their mission throughout the onsite analysis is to analyse your current processes in managing your assets, certifications, repair and maintenance schedules, and to identify areas of improvement to help optimise your business.

The end result is to deliver a concrete plan of how we can help you tackle your inefficiencies.

THE BENEFITS OF AN ONSITE ANALYSIS

An overview of opportunities to improve your productivity both onsite and in the office



Employee feedback of your current situation



A detailed business case and tailored solution aligned with your company's needs, including a cost-benefit analysis of the proposed solution



Watch the video to see how an onsite analysis can help your business.



THE CLEVER ALTERNATIVE

We manage your tools so you can manage your business

Hilti Fleet Management



The cost of tools goes way beyond purchase price

With Hilti Fleet Management there is no upfront investment to tool-up for a job. Instead, you pay a fixed monthly charge that covers all tool, service and repair costs. This greatly simplifies your financial planning and takes a load of administrative work off your shoulders.



CONTROL YOUR COSTS



All inclusive repairs

- No repair costs - ever
- Unlimited battery replacements
- Pistons and buffers included in direct fastening tools*
- Free laser calibration



Fixed monthly cost

- A low monthly usage fee replaces a large upfront cash investment to tool up
- Predictable costs, every month



Theft coverage

- 80% of losses covered in the event of a theft
- Simply report the tool stolen with a police report. We'll take care of the rest



Accidental damage

- Cover for accidental damage on site*
- Return the tools to Hilti and we'll take care of the rest

KNOW WHAT YOU HAVE



Tool inventory and labelling

- Use Fleet Management Online to track and assign your tools to a specific job, team or worker
- A full tool fleet list helps avoid redundant purchases
- Customised labels makes tracking tools easier

FLEXIBLE EXCHANGE



Contract extension

- Return your tools at a date convenient to you upon contract expiry
- Contract extension ends when tools are returned to Hilti



Exchange cycle

- Flexible tool exchange cycle options: monthly, quarterly (default), semi-annually or annually

CUT ADMINISTRATION



Streamlined processes

- No more repair quotes - high quality tool repairs returned fast
- Quick and easy order process to add tools to your fleet
- 1 monthly invoice

NO MORE DOWNTIME



Loan tools*

- In the event of a tool repair we can arrange a loan tool from a designated Kennards Hire branch. Call us on 131 292 and we'll do the rest.



Tool upgrades

- Use our tools to get the job done, then trade up to the latest technology at the end of the term using Hilti Online or Hilti Connect
- Minimise downtime with a constant fleet of high performing tools

*Some limitations apply. Contact Hilti for details.

Call us on 131 292 for a free consultation to help you optimise your tool fleet and save your business money.

Watch the video to see why professional tradies choose Fleet Management.



CONNECT WITH YOUR TOOLS

Hassle-free tool services at your fingertips

Hilti Connect




Hilti Connect is the perfect app to manage your tools

Hilti Connect is a new phone app that allows you to identify your tool with NFC technology, find detailed tool information such as warranty and fleet expiration dates, and see how many times a tool has been repaired. The app also allows you to submit your tools for repair right from your smartphone.



HOW DO I KNOW IF MY TOOL IS NFC ENABLED?

Any Hilti tool that is NFC enabled will have a “Connected” symbol on the rating plate of the tool. Place your phone in that location and it will read the NFC tag and take you to the Hilti Connect App.



HOW DOES HILTI CONNECT WORK?

There are three things that make up the whole Hilti Connect experience. The app, the NFC tag, and the Hilti Cloud. Once logged into the app with your Hilti Online login credentials, you can search for the tool you want by serial number or by scanning the NFC tag. After scanning a tool, the app links to the Hilti Cloud and pulls in all the data and documents for that tool.



HOW CAN IT HELP WITH MY FLEET TOOLS?

Hilti Connect gives you access to Fleet information such as purchase date and expiry date and allows you to book tool repairs and request loan tools at the same time (should you need one). In addition, you can access operator manuals, how-to videos, related products and approval documents – all from the convenience of your smartphone.



Hilti Connect can be downloaded for free from the Google Play store, or the App Store right to your smartphone.



Scan the code to find out more about the benefits that Hilti Connect can provide you and your business.



QUICK, EXPERT REPAIRS

Clear warranties and repair costs

Hilti Tool Service



We repair and clean your Hilti tools quickly and expertly. We don't just change a faulty part, we carry out a full diagnostic check on all moving parts and return your tool to its original performance.

HOW MUCH WILL MY TOOL REPAIR COST?

20 year manufacturer's warranty

- We will repair your tool free of charge if it breaks down as a result of materials or manufacturing defects for 20 years.
- A charged repair will never cost you more than 30% of the price of a brand new replacement tool. If the actual cost of labour and parts is less, that is all you'll pay.

Up to 2 years wear and tear coverage

- We will repair your tool completely free of charge for up to 2 years from the date of purchase. This includes damage resulting from normal wear and tear. You won't pay for parts, labour or even pick-up and delivery.
- After the wear and tear period, the cost of paid repairs are capped for the remaining warranty period.

HOW LONG WILL MY TOOL REPAIR TAKE?

Let's get started right away - repair cost pre-approvals

- By pre-approving charged repair costs up to the 30% repair cost limit, you eliminate the quotation process – meaning we won't delay repair work and less downtime for you.
- We'll collect, repair and return your tool to site, faster than any other tool repair service. We even guarantee 5 days turnaround in Sydney, Brisbane, Melbourne and Gold Coast metro areas. If we fail, your repair is free!*

*Conditions apply. See website for details.



Scan the code to register for super fast repairs.

Book your repairs via the Hilti Connect app, www.hilti.com.au or 131 292.

Get the Hilti Connect app for iOS or Android.



PRODUCTIVITY PLUS

Complete systems for interior finishing trades

Hilti Systems



INTERIOR FINISHING SYSTEMS

The innovative tools and accessories we supply to the construction industry are as varied as the applications in this field.

We offer a range of products for measuring, drilling, diamond coring, chiselling, cutting, grinding and fastening as well as special solutions for applications such as dustless drilling. Our products form fully matched system components, designed for maximum performance and reliability to help you work faster and stay productive longer.

We understand safety is a priority, that's why our dust removal, vibration reduction and active torque control features were developed to provide highly effective user protection.

HILTI SYSTEMS – A CASE STUDY

Faster drywall construction



Measuring system for dry wall installer covers with wide range of applications including distance measuring, levelling and aligning

+



Battery 22V cordless nailer for interior finishing applications.
High-performance collated nail for concrete

+



Screw magazine for collated screws

+



Sealing rigid or low-movement ceiling/wall joints in various base materials such as masonry, concrete, drywall and metal, with cordless dispenser

IMPROVED SAFETY

- Combustion-free operation – no gas cans or powder cartridges to store and dispose of

IMPROVED PRODUCTIVITY

- Fastening rate of 1.3 nails per second
- One battery fits all
- Controlled sealant wastage

THE END RESULT: Improved safety and greater productivity.

ACCURATE, RELIABLE AND EASY TO USE

Hilti Measuring
Systems



PD 5 laser range meter

- Accurately measure distances up to 100m
- Easy to use, single button operation
- Water resistant and dust tight
- Automatic backlight on the display makes the results visible in dark spaces



PM 2-LG green line laser

- Level suspended ceilings
- Level and align doors and windows
- Green laser beam for best visibility
- Horizontal and vertical line with a large fan angle to cover the whole working area



PM 40-MG multi-line green laser

- Setting out drywall tracks on floors, walls, ceiling
- Easy and fast aligning – rotating platform with improved fine adjustment
- All the lines you need – 4 vertical and a 360° horizontal lines, bottom plumbing point
- Green beam – 4 times more visible than red



PR 3-HVSG green rotating laser

- Level suspended ceilings and transfer heights
- Square walls and partitions
- Rotating laser beam can be switched, by remote control, to a stationary laser line that can be shifted in the horizontal or vertical planes
- Rugged shock-absorbent housing provides protection in case the tool is dropped



PR 30-HVSG green rotating laser

- Suspended ceilings and transfer heights
- Square walls and partitions
- “Catch-me” line function to boost laser visibility
- Paired remote control to avoid interference with other tools on the jobsite
- Auto alignment function – tool aligns the beam at the touch of a button



THE FREEDOM TO GET THE JOB DONE

Hilti Cordless
Systems



SID 4-A22 cordless impact driver

- High-efficiency brushless motor means the tool lasts longer and gets more work done per charge
- Robust 1/4" hexagonal click-in chuck
- Four bright LEDs around the chuck provide direct illumination of the work surface
- Three gears and electronic speed control for easy switching between different driving speeds
- Ergonomic grip and trigger for maximum comfort and convenience during long periods of use



TE 4-A22 DRS cordless rotary hammer with dust extraction

- Repetitive drilling in all directions in concrete and masonry, recommended diameter range 5-12mm
- Virtually dustless drilling when used with the DRS 4-A dust removal system
- First class performance-to-weight ratio, making it ideal for overhead applications
- High battery capacity – more holes per charge



AG 125-A22 cordless angle grinder

- Most powerful grinder on the market, can withstand high forces when cutting or grinding
- Perfect balance and low weight
- First class safety features: disc brake, Active Torque Control (ATC), deadman's switch



SCW 22-A cordless wood saw

- Impressive cutting performance and much lighter than a corded alternative
- Perfect for cutting formwork, plywood, chipboard, plastic, rafters and battens



CD 4-A22 caulking dispenser

- Versatile tool that can be used interchangeably with either 310 ml cartridges or 600 ml barrels
- Powerful tool for dispensing high-viscosity material with ease



WORK FASTER AND LONGER

Hilti Tool Inserts
for interior finishing trades



Small abrasives

- For cutting, grinding and polishing and finishing work
- Sizes available: 115mm, 125mm, 180mm, 230mm



SP - Cutting



SPX - Cutting



SP - Flap disc



UP - Grinding

Large abrasives

- For dry wall studs on chop saws
- Sizes available: 14"



UP - Dry wall
cutting disc

Smooth shank bits

- A wide range of smooth and hex shank bits for multiple base materials
- Additional sizes and connection ends are available - see Hilti website for more information



Stepper bits



Spade bits



HSS metal drill bits



Cutout bits



Bimetal holesaws

Hammer drill bits (SDS)

- SDS hammer drill bits designed with a full carbide head and bits
- Unique head and helix design to drill faster than any other drill
- For concrete, brick, masonry and more
- Connection ends available: TE-C, TE-Y



HD Setting tool and stop hammer drill bit



TE-C / TE-Y



Hollow drill bits



TE-CX / TE-YX

Chisels and setting tools

- Pointed and flat chisels with self-sharpening tips and inductive hardening
- Designed for superior performance and longer life
- For demolition and channel work
- Connection ends available: TE-C, TE-Y, TE-S, HEX 28



Flexible chisels



Pointed chisels



Narrow flat chisels



Wide-flat chisels

WORK FASTER AND LONGER

Hilti Tool Inserts
for interior finishing trades



Reciprocating saw blades

- Ideal performance and extra life in a wide range of metal and wood cutting applications
- Additional TPI, blade lengths and pack sizes available
– see Hilti website for more information



MD – Heavy Metal (thick kerf)



MS – Metal (thin kerf)



WD – Wood and Metal



UD – Multiple Materials (thick kerf)



WDX – Ultimate Wood and Metal

Circular saw blades

- Fast speed, high precision and extra long life in metal and wood cutting applications
- Sizes available: 165mm, 190mm



Stainless and steel blade



Framing blade



Wood cutting



Non ferrous metal cutting

Band saw blades for SB 4-A22

- Fast cutting metal band saw blades for low noise, low residue
- Cold cutting in steel pipe and tubing
- Available TPI: 10/14, 14/18, 24



Jig saw blades

- High precision and fast speed
- For straight and contour cutting in wood, metal, stainless steel and other materials



Metal



Wood



Universal

QUICK, PRECISE AND CLEAN

Hilti Diamond
Systems



DCH 300 diamond cutter

- Cuts to a depth of up to 12 cm – ideal for windows, doors and shafts openings
- Overheating and overloading protection
- Exact cutting depth adjustment with depth gauge
- HSE tool: blade rotation guides the tool away from the operator's body & dust-free with vacuum cleaner use



DCH 180-SL slitting machine

- Quick and neat chasing for cable conduits, pipes or hebel walls positioning
- Very high cutting performance, up to 60 mm slitting depth and width
- Depth gauge for accurate cutting depth adjustment
- HSE tool: blade rotation guides the tool away from the operator's body & dust-free with vacuum cleaner use



DG 150 diamond grinder

- Specialised grinding tool which doubles productivity compared with angle grinders
- Perfect to prepare a concrete surface before painting, remove coatings or concrete drops
- HSE tool: built-in dust hood and dust free with a vacuum cleaner – can be used for 8 hours with a P2 mask



SPX, SP diamond cup wheels and cutting discs

- 3 quality lines to respond to each need:
- SPX (red): Ultimate performance delivering the lowest total cost through labor savings
- SP (black): Premium solution which delivers solid performances for demanding users
- P (grey): Standard product features with Hilti quality at lowest acquisition cost



VC 40-UM dry/wet M-class vacuum cleaner

- Remove dust and slurry from drilling, slitting, grinding and wet/dry coring
- 1200W powerful motor
- Hilti Airboost filter technology for consistently high suction performance
- Automatic filter cleaning every 15 seconds
- M-class to comply with Australian construction's legislation





HTB metal anchor with screw for drywall

- Light-duty anchoring in drywall and heavier-duty applications in concrete block
- Best performance in gypsum board
- Unique installation “legs” and locking cap for easy and adjustable fastening in various thicknesses



HCA ceiling hanger

- Installing suspended ceilings
- Easy install: hammer in and pull with hammer claw
- Gripping lugs on the sleeve aids expansion during setting




HPS plastic impact anchor

- Fastening trim strips, battens and components for electrical and plumbing installations
- Universal use on many materials, including perforated brick and block
- Drive in with a hammer or screwdriver. Can be unscrewed



HLC sleeve anchor

- Suitable for a wide range of temporary applications and fastening small items
- Head configurations available: hex, countersunk, tie wire, closed eye bolt, open eye bolt
- Pre-assembled anchor for fast, easy installation



HSA expansion anchor

- Fastening columns and beams
- For fast, convenient and reliable torquing set with SIW 14-A or SIW 22-A impact wrench and S-TB torque bar



HUS3-H 6 screw anchors

- Fast and easy installation
- Completely removable
- Small spacing and edge distance
- Nice head finish



HST3 expansion anchor

- Productive and reliable installation with AT-Module
- Greater flexibility thanks to two embedment depths included in the ETA
- Approved for seismic applications categories C1 and C2 (ETA)



EFFICIENT AND PRODUCTIVE

Hilti Direct Fastening and Screw Fastening Systems



BX 3 02 battery powered fastening tool

- Hilti's combustion-free direct fastening technology for high-quality, reliable fastening on concrete, steel and some types of solid masonry
- Combustion-free operation – no gas cans or powder cartridges to store and dispose of
- Drives up to 800 fasteners with a single charge
- Magazine capacity of 30 nails
- Smart features including a revolutionary refill indicator, standby mode and Bluetooth connectivity through the Hilti Connect app



GX 3 gas fastening system

- No battery – so no power source needed and no downtime due to charging
- Wide range of nails for fastening to a wide variety of materials
- Gas gauge helps to avoid running out of gas unexpectedly
- High fastening rate for high productivity and maximum efficiency



GX 2 gas system

- Short (20 mm), comfortable stroke and low recoil reduce fatigue, especially in overhead applications
- GC 52 gas can drives up to 1,100 nails
- Best-in-class battery performance: 8,000 nails with one charge, 30 min. charging time
- 12V Li-ion battery platform shared with other Hilti tools



DX 5-IE insulation fastening system

- Fastening insulation materials to interior and exterior walls and ceilings
- Fastens insulation thickness 25 mm – 200 mm
- Smart features through Bluetooth connectivity and the Hilti Connect app
- One-step operation - up to 5 times faster than traditional drilling and anchoring method
- X-IE insulation fasteners: wide range of sizes available in black and white





DX 351-CT powder-actuated fastening system for ceilings

- Fastening overhead to concrete or steel
- Fastenings for suspended ceilings
- Safety device helps prevent unintentional firing
- Specially designed for “bump firing” in ceiling fastening applications



DX 351 MX powder-actuated fastening system

- Fastening to tough concrete and steel
- Safety features helps prevents unintentional firing
- Available in a single shot version to fire nails with washers



SD 5000-A22 cordless drywall screwdriver

- Fastening drywall to metal or wood framing on walls and ceilings
- Fastening metal track to metal track (framing)
- SMD 57 magazine for speedy repetitive fastening
- High battery capacity / very short charging time
- Optimal speed and power: speed 5000/min, torque 9.5 Nm



GX-IE gas insulation fastening system

- Fastening insulation materials to interior and exterior walls and ceilings
- Fastens insulation thickness 25 mm – 120 mm
- One-step operation - up to 5 times faster than traditional drilling and anchoring method
- X-IE-G insulation fasteners: wide range of sizes available in white



CODE COMPLIANT FIRE PROTECTION

Hilti Firestop
Systems



VISIT WWW.HILTI.COM.AU OR CALL 131 292 FOR FIRESTOP APPROVAL DOCUMENTATION



CP 606 flexible firestop sealant

- Water-based acrylic sealant for interior firestopping applications in various base materials including concrete, aerated concrete, prefabricated panels and plasterboard walls
- For sealing low movement construction joints up to 30mm wide in walls and floors, and up to 65mm wide between walls and metal decking
- Paintable



CD 4-A22 caulking dispenser

- Versatile tool that can be used interchangeably with either 310 ml (10 oz) cartridges or 600 ml (20 oz) barrels
- Powerful tool for dispensing high-viscosity material with ease



QUICK AND EASY TO USE

Hilti Construction
Foams



CF 126 dispenser foam

- High-yield, self-extinguishing foam for sealing joints and gaps
- 750ml can with foam yield up to 55l
- Use with Hilti CF DS-1 dispenser gun for controlled dispensing
- Recommended dispenser: Hilti CF DS-1
- Recommended dispenser cleaner: Hilti CFR 1



CF-F 750 GV filling foam

- High yield foam for sealing gaps and voids in walls
- 750ml can with foam yield up to 34l
- High adhesive strength
- Easy to use (finger dispensing)
- Restricts drafts and reduces noise and vibration



CF 116 filling foam

- For sealing gaps and voids in walls
- 473ml can with foam yield up to 24l
- Easy to use (finger dispensing)
- Restricts drafts and reduces noise and vibration



ANCHOR SOLUTIONS BUILT TO CODE

Hilti Anchor
Systems



NCC COMPLIANCE

To ensure you comply with the National Construction Code (NCC), ask for the ETA documentation for the selected anchor.

STRONGEST ANCHORS

Our anchors provide the strongest solution for safety critical applications in concrete, fully backed by technical documentation, software and engineering services.

WIDEST RANGE

We offer a full suite of ETA assessed anchoring solutions, to suit every application from basic through to the most complex and challenging.



SAFESET FAST, RELIABLE AND SAFE

- Auto-cleaning with Hilti hollow drill bit
- Dustless
- NCC compliant and ETA approvals for the following products:



- Roughen diamond cored holes for better bonding
- Allows higher loads
- NCC compliant and ETA approved for RE 500 V3 and HY 200-R



THE APPROVED ADAPTIVE TORQUE SYSTEM




HST3 setting with SIW-6AT impact wrench




SCREW ANCHORS HUS3

Reliable and ETA approved for numerous permanent applications.

- Fast
- No torque wrench
- High loads like stud anchors
- Adjustable
- Cuts through rebar



ETA APPROVED FOR DIAMOND CORED HOLES



1) Cored with DD EC-1 or DD 30-W tool

Product	COMPLIANCE TO AS 5216		SAFETY BEYOND AS 5216 – MAXIMUM PROTECTION IN EXTREME CONDITIONS					
	ETA for anchoring	ETA for cracked concrete	Seismic approvals C1 (ETA)	Seismic approvals C2 (ETA)	Seismic approvals (engineering judgement)	Shock approval	Fatigue approval	Fire approval
HDA	■	■	■	■		■	■	■
HSL3	■	■	■	■		■	■	■
HST3	■	■	■	■		■		■
HMU-PF	■	■	■			■	■	■
HSC***	■	■		■		■		■
HUS3*	■	■	■	■				■
HUS3-I / HUS3-A / HUS3-H6**	■	■			■			■
HSA	■							■
HKD**	■							■
DBZ**	■							■
HRD**	■							■

*Seismic C1 & C2 approval for diameter 10mm & 14mm. Seismic C1 approval for diameter 8mm.

Approvals for redundant fastenings available. Contact Hilti for advice. *Seismic C2 approval for M8 & M10 HSC-A anchor only.

HILTI ORDERING INFORMATION

MEASURING AND ALIGNING SOLUTIONS

Ordering designation	Item number
Laser range meters	
PD 5 Laser range meter	2004788
PD-I Laser range meter	2061407
PD-E Laser range meter	2062050
PD-CS Wi-Fi enabled laser range meter	2102498
Multi-directional lasers	
PM 2-LG Green line laser	2098522
PM 2-LG Green line laser + PMA 82 bracket + Target kit	3529450
PMA 82 Wall mount with magnetic bracket	2098198
PM 40-MG Multi-line green laser +Bat+Charger kit	3586049
PM 40-MG Multi-line green laser +Bat+12V Adapter kit	3586050
PM 40-MG Multi-line green laser +Bat+Charger+Bracket+Target kit	3586051
PM 40-MG Multi-line green laser Complete kit	3586052
PMA 85 Wall mount with magnetic bracket	2160374
PMA 86 Rail/track adapter	2160375
Rotating lasers	
PR 3-HVSG Green rotating laser kit	3543973
PR 3-HVSG Green rotating laser +Wall bracket kit	3543974
PR 3-HVSG Green rotating laser +Receiver kit	3543975
PR 3-HVSG Green rotating laser +Wall bracket+Receiver kit	3543976
PR 30-HVSG Green rotating laser (no batteries or charger)	2181023
PR 30-HVSG Green rotating laser +2Bat+Charger kit	3586044
PR 30-HVSG Green rotating laser +2Bat+Charger+Bracket kit	3586047
PRA 72 Wall bracket	2088509

CORDLESS DRILLING, CUTTING AND GRINDING SOLUTIONS

Drill/drivers, impact drivers, rotary hammers 22 volt and 36 volt kits	
SID 4A 2 x B22/5.2Ah batteries + 350 fast charger in Hilti tool case	3592108
SIW6AT 2 x B22/5.2Ah batteries + 350 fast charger in Hilti tool case	3601904
SF 6H B22/5.2Ah batteries + 350 fast charger in Hilti tool case	3592115
CD 4-A22 caulking dispenser	2217418

INSERTS FOR INTERIOR FINISHING TRADE

Hammer drill bits	
Hammer drill bit TE-CX 5/12 MP8	2021990
Hammer drill bit TE-CX 5/17 MP8	2021992
Hammer drill bit TE-CX 6/12 MP8	2021997
Hammer drill bit TE-CX 6/17 MP8	2021998
Hammer drill bit TE-CX 8/17 MP8	2022003
Hammer drill bit TE-CX 10/17 MP8	2022008
Hammer drill bit TE-CX 12/17 MP8	2022012
Hammer drill bit TE-CX 15/17	409211
Percussion core bit TE-C-DS 65/130	375931
Percussion core bit TE-C-DS 68/130	339130
Percussion core bit TE-C-DS 75/130	386806
Setting tool HKD-TE-CX M10x25	414480
Setting tool HKD-TE-CX M12x25	2097386
Hammer drill bit TE-CD 12/33	2018940
Hammer drill bit TE-CD 14/37	2018942
Hammer drill bit TE-YX 20/52	2122297
Hammer drill bit TE-YX 25/52	2122276

INSERTS FOR INTERIOR FINISHING TRADE (CONT'D)

Ordering designation	Item number
Chisels and setting tools	
Clay spade chisel TE-S SPI 50	406785
Narrow-flat chisel TE SP FM 50	2065557
Pointed chisel TE SP SM 50	2065554
Pointed chisel TE-CP SM 25	282299
Narrow-flat chisel TE-CP FM 25	282301
Pointed chisel TE-YP SM 50	282265
Narrow-flat chisel TE-YP FM 50	282269
Smooth shank bits	
Spade bit WDB-S-H6 25x152	2025575
Spade bit WDB-S-H6 16-32 set	2025582
Stepped drill bit 4-20	304983
Stepped drill bit M10-M40	304984
Pilot bit 6 mm	283870
Twist drill bit HSS 1-13 kit	304939
Bimetal hole saw 32mm-1 1/4" MetalCut	417567
Bimetal hole saw 114mm-4 1/2" MultiCut	417643
Cut-out bit SCOB DG 5/32 (10)	2149890
Circular saw blades	
Circ. saw blade SC-C MU 165x20 z40 A	2014797
Circ. saw blade SCB WU 165x20 z24 A	2037951
Circ. saw blade SC-C MS 165 AL	2023990
Reciprocating saw blades	
Recip. saw blade MD 23 10 (5)	2099294
Recip. saw blade MD 30 10 (5)	2099295
Recip. saw blade MB 23 14 (5)	2099397
Recip. saw blade WB 23 6 (5)	2099416
Recip. saw blade UD 20 1014 (5)	2099407
Band saw blades	
Band saw blade SB 4 BM 14/18 TPI (3)	2150032
Band saw blade SB 4 BM 10/14 TPI (3)	2150031
Jig saw blades	
Jig saw blade MD 155 2 BiM (5)	2154882
Jig saw blade W-CSJ M 152/2 SandwCut	377922
Abrasives	
Cutting disc AC-D SP 125x1.0 (MP100)	2181350
Cutting disc AC-D SPX 125x1.0	2150705
Grinding wheel AG-D SP 125x6.4	2150740

DIAMOND DUST-FREE GRINDING

Vacuum cleaners	
Diamond cup 150/6" SPX univ	2163567
Diamond cup 150/6" SPX finef	2163722
Diamond cup 150/6" SPX coat	2163724
Univ. vacuum cleaner VC 40-UM 240 V	2183222
Univ. vacuum cleaner VC 40-UM 240 V with accessory set + 5 Dust filter bags. Rest same	3579066

HILTI ORDERING INFORMATION

DIRECT FASTENING SOLUTIONS

Ordering designation	Item number
Powder-actuated	
Powder-actuated tool DX 351 M+E	373107
DX 351-CT kit	3614316
Cable Tie Holder X-UCT P27	2187805
Ceiling Clip X-CC U27 P8	386230
Ceiling Clip X-CC CS27 P8	2005065
Ceiling Hanger X-HS M10 U32 P8 S15	361790
Battery-actuated	
BX 3-ME 02 A22 case	2184454
BX 3-ME 02 A22 case + 2 x B22/5.2Ah + Charger	3613852
X-P 20 B3 MX	2156390
X-P 17 B3 MX	2156219
BX 3 7ft Pole Tool	3542839
BX 3 5ft Pole Tool	3542838
Gas-actuated	
GX 3-ME	3584206
X-P 20 G3 MX (1200) + GC 42	2135983
X-P 17 G3 MX (1200) + GC 42	2135982
GX 3 7ft Pole Tool	3584324
GX 3 5ft Pole Tool	3585574
Cable tie holder X-UCT MX	2095183
Cable tie holder X-ECT MX	285709
Cable tie with holder X-ECT 40 MX	432947
Ceiling clip X-ECC MX	228342
Electrical cable clamp X-EKSC 16 MX	274083
Electrical cable clamp X-EKSC 20 MX	274086
Electrical cable clasp X-EKB 16 MX	285714

MECHANICAL ANCHOR SOLUTIONS

HST3 stud anchor system for seismic applications	
HST3 M8x75 -/10	2105888
HST3 M8x95 -/30	2105889
HST3 M10x70 10/-	2113974
HST3 M10x80 20/-	2113975
HST3 M10x90 30/10	2105712
HST3 M10x100 40/20	2105713
HST3 M10x110 50/30	2105714
HST3 M10x200 140/120	2105717
HST3 M12x85 10/-	2113978
HST3 M12x95 20/-	2113979
Adaptive torque module SI-AT-A22	2138585
HUS3 screw anchor systems	
HUS3-H 6x40 /5	416735
HUS3-H 6x60 /5/25	416736
HUS3-H 6x80 /25/45	416737
HUS3-P 6x40/5	416745
HUS3-P 6x60/5/25 *	416746
HUS3-P 6x80/25/45 *	416747
Hollow wall / Drywall metal anchor	
HTB-2 M5	2158762
HTB-2 M6	2158764
HTB-2-S M5x60	2158763
HTB-2-S M6x60	2158765

FIRESTOP SOLUTIONS

Ordering designation	Item number
Foams, sealants and joint fillers	
CP 606 Flexible firestop sealant	209633
CD4-A22 Battery-Powered Dispenser	2217418
Long Assembly Set for CD4-A22	2218556
CS 270-P1 Manual Dispenser	24669
Construction foams	
CF 126 Dispenser foam	220439
CF DS-1 Dispenser CF DS-1	259768
CFR 1 Cleaner	20162
CF-F 750 GV Filling foam	373965
CF 116 Filling foam	321423

PROFESSIONAL ASSISTANCE

Helps make every project a success

Hilti Engineering Services



HILTI SERVICE SUPPORT POLICY

The availability of professional technical support is just as important to Hilti as the production of quality tools. Our team of Field Engineers provide expert technical support, on site or by telephone. We know that every day on the job site brings a new challenge and that's why Hilti Engineers are on-hand to consult on a wide range of technical solutions.



PROJECT SUPPORT

Hilti project managers and engineers assist by coordinating logistics and technical support for defined projects.

ON-SITE TECHNICAL CONSULTING

Our engineers provide on-site support at any location. They offer a consulting service for engineers and construction professionals on specific application needs. Training and site-testing is also a service we can offer.

TECHNICAL SOFTWARE AND DOCUMENTS

Our innovative and practical software solutions cover everything from anchor design and selection, to installation concepts, and are available to support you in your daily work. Technical documents such as approvals, test certificates and technical data sheets can be viewed and downloaded from Hilti Online at www.hilti.com.au/downloads

CONTACT US

For any of these services you can contact us on **131 292** or serviceaustralia@hilti.com

WE'RE HERE TO HELP

How to get in touch

Contacting Hilti



CUSTOMER SERVICE

Customer Service representatives are available Monday to Friday from 7:30am to 5:00pm. Our professionally trained team can help you with product advice, orders and deliveries, as well as organising on-site product demonstrations.

Call: 131 292 Fax: 1300 135 042 Email: serviceaustralia@hilti.com



HILTI STORES

Our national network of Hilti Stores are much more than display or sales points for Hilti products. At a Hilti Store, you can receive professional advice on products and applications. You can also have hands-on demonstrations of Hilti products. Find a location near you.

Visit: www.hilti.com.au/stores



HILTI ONLINE

7 days a week, 24 hours a day, our website is available at your own convenience during and after office hours, with quick access to product information and pricing. Register to order online, review your order history, see your tool list and more. Get the Hilti Mobile app for Android or iOS.

Visit: www.hilti.com.au



ACCOUNT MANAGERS

Our professionally trained Account Managers are readily available nationwide, to visit your place of work, where and when you need. They can help evaluate your job requirements and suggest ways to increase your productivity and profitability.

Call: 131 292

Sydney – Alexandria
154 Bourke Road
Alexandria NSW 2015
Mon – Fri 7.00am – 5.00pm

Sydney – Lidcombe
35 Parramatta Road
Lidcombe NSW 2141
Mon – Fri 7.00am – 5.00pm

Sydney – Annandale
245a Parramatta Road
Annandale NSW 2038
Mon – Fri 7.00am – 4.00pm

Sydney – Seven Hills **NEW**
1/1 Tucks Road
Seven Hills NSW 2147
Mon – Fri 7.00am – 4.00pm

Newcastle
70-72 Orlando Road
Lambton NSW 2299
Mon – Fri 7.00am – 4.00pm

Melbourne
203-205 Normanby Road
South Melbourne VIC 3205
Mon – Fri 7.00am – 5.00pm

Brisbane
718 Kingsford Smith Drive
Hamilton QLD 4007
Mon – Fri 7.00am – 5.00pm

Gold Coast
Unit 5/46-50 Spencer Road
Nerang QLD 4211
Mon – Fri 7.30am – 4.30pm

Townsville
Unit 8/264 Woolcock Street
Currajong QLD 4812
Mon – Fri 7.30am – 4.30pm

Cairns
29 Hannam Street
Cairns QLD 4870
Mon – Fri 7.30am – 4.30pm

Adelaide **NEW**
183 Railway Terrace
Mile End South SA 5031
Mon – Fri 7.00am – 5.00pm

Perth
150 Abernethy Road
Belmont WA 6104
Mon – Fri 7.00am – 5.00pm

Darwin
32 Benison Road
Winnellie NT 0820
Mon – Fri 7.30am – 4.30pm

Hobart
56a Hopkins Street
Moonah TAS 7009
Mon – Fri 7.30am – 4.30pm

FIND A STORE



Hilti (Aust.) Pty Ltd
Level 5, 1G Homebush Bay Drive
Rhodes NSW 2138

P 131 292
F 1300 135 042
www.hilti.com.au

