



# SOLUTIONS FOR MECHANICAL TRADES

**Hilti Tools, Fastening &  
Firestop Systems**

# WE HELP YOU INCREASE YOUR PRODUCTIVITY

Transparency brings efficiency

Hilti Asset Management

Missing equipment, expired certifications and broken tools can cost your business time and money. Good asset management is crucial for staying on top of these challenges and helps increase your overall profitability.

Your company's future competitiveness depends on the productivity gains you can achieve today.


## IT ALL STARTS WITH A HALF DAY ONSITE ANALYSIS



We observe operations within your sites, offices and warehouses to map your current processes



We identify and validate inefficiencies in management of your assets on an employee and administration level



We document and quantify the impact of your current business challenges and the goals you want to achieve



To request a consultation, email [auontrack@hilti.com](mailto:auontrack@hilti.com), visit [www.hilti.com.au/ontrack](http://www.hilti.com.au/ontrack) or scan the code.







Our specialist consultants are professionally trained in productivity improvement and process optimisation. Their mission throughout the onsite analysis is to analyse your current processes in managing your assets, certifications, repair and maintenance schedules, and to identify areas of improvement to help optimise your business.

The end result is to deliver a concrete plan of how we can help you tackle your inefficiencies.

## THE BENEFITS OF AN ONSITE ANALYSIS

**An overview of opportunities to improve your productivity both onsite and in the office**



**Employee feedback of your current situation**



**A detailed business case and tailored solution aligned with your company's needs, including a cost-benefit analysis of the proposed solution**



Watch the video to see how an onsite analysis can help your business.



# THE CLEVER ALTERNATIVE

We manage your tools so you can manage your business

## Hilti Fleet Management



## The cost of tools goes way beyond purchase price

With Hilti Fleet Management there is no upfront investment to tool-up for a job. Instead, you pay a fixed monthly charge that covers all tool, service and repair costs. This greatly simplifies your financial planning and takes a load of administrative work off your shoulders.



### CONTROL YOUR COSTS



#### All inclusive repairs

- No repair costs - ever
- Unlimited battery replacements
- Pistons and buffers included in direct fastening tools\*
- Free laser calibration



#### Fixed monthly cost

- A low monthly usage fee replaces a large upfront cash investment to tool up
- Predictable costs, every month



#### Theft coverage

- 80% of losses covered in the event of a theft
- Simply report the tool stolen with a police report. We'll take care of the rest



#### Accidental damage

- Cover for accidental damage on site\*
- Return the tools to Hilti and we'll take care of the rest

### KNOW WHAT YOU HAVE



#### Tool inventory and labelling

- Use Fleet Management Online to track and assign your tools to a specific job, team or worker
- A full tool fleet list helps avoid redundant purchases
- Customised labels makes tracking tools easier

### FLEXIBLE EXCHANGE



#### Contract extension

- Return your tools at a date convenient to you upon contract expiry
- Contract extension ends when tools are returned to Hilti



#### Exchange cycle

- Flexible tool exchange cycle options: monthly, quarterly (default), semi-annually or annually

### CUT ADMINISTRATION



#### Streamlined processes

- No more repair quotes – high quality tool repairs returned fast
- Quick and easy order process to add tools to your fleet
- 1 monthly invoice

### NO MORE DOWNTIME



#### Loan tools\*

- In the event of a tool repair we can arrange a loan tool from a designated Kennards Hire branch. Call us on 131 292 and we'll do the rest.



#### Tool upgrades

- Use our tools to get the job done, then trade up to the latest technology at the end of the term using Hilti Online or Hilti Connect
- Minimise downtime with a constant fleet of high performing tools

\*Some limitations apply. Contact Hilti for details.

Call us on 131 292 for a free consultation to help you optimise your tool fleet and save your business money.

Watch the video to see why professional tradies choose Fleet Management.





# CONNECT WITH YOUR TOOLS

Hassle-free tool services at your fingertips

Hilti Connect




## Hilti Connect is the perfect app to manage your tools

Hilti Connect is a new phone app that allows you to identify your tool with NFC technology, find detailed tool information such as warranty and fleet expiration dates, and see how many times a tool has been repaired. The app also allows you to submit your tools for repair right from your smartphone.



## HOW DO I KNOW IF MY TOOL IS NFC ENABLED?

Any Hilti tool that is NFC enabled will have a “Connected” symbol on the rating plate of the tool. Place your phone in that location and it will read the NFC tag and take you to the Hilti Connect App.



## HOW DOES HILTI CONNECT WORK?

There are three things that make up the whole Hilti Connect experience. The app, the NFC tag, and the Hilti Cloud. Once logged into the app with your Hilti Online login credentials, you can search for the tool you want by serial number or by scanning the NFC tag. After scanning a tool, the app links to the Hilti Cloud and pulls in all the data and documents for that tool.



## HOW CAN IT HELP WITH MY FLEET TOOLS?

Hilti Connect gives you access to Fleet information such as purchase date and expiry date and allows you to book tool repairs and request loan tools at the same time (should you need one). In addition, you can access operator manuals, how-to videos, related products and approval documents – all from the convenience of your smartphone.



Hilti Connect can be downloaded for free from the Google Play store, or the App Store right to your smartphone.



Scan the code to find out more about the benefits that Hilti Connect can provide you and your business.



# QUICK, EXPERT REPAIRS

Clear warranties and repair costs

Hilti Tool Service



We repair and clean your Hilti tools quickly and expertly. We don't just change a faulty part, we carry out a full diagnostic check on all moving parts and return your tool to its original performance.

## HOW MUCH WILL MY TOOL REPAIR COST?

### 20 year manufacturer's warranty

- We will repair your tool free of charge if it breaks down as a result of materials or manufacturing defects for 20 years.
- A charged repair will never cost you more than 30% of the price of a brand new replacement tool. If the actual cost of labour and parts is less, that is all you'll pay.

### Up to 2 years wear and tear coverage

- We will repair your tool completely free of charge for up to 2 years from the date of purchase. This includes damage resulting from normal wear and tear. You won't pay for parts, labour or even pick-up and delivery.
- After the wear and tear period, the cost of paid repairs are capped for the remaining warranty period.

## HOW LONG WILL MY TOOL REPAIR TAKE?

### Let's get started right away - repair cost pre-approvals

- By pre-approving charged repair costs up to the 30% repair cost limit, you eliminate the quotation process – meaning we won't delay repair work and less downtime for you.
- We'll collect, repair and return your tool to site, faster than any other tool repair service. We even guarantee 5 days turnaround in Sydney, Brisbane, Melbourne and Gold Coast metro areas. If we fail, your repair is free!\*

\*Conditions apply. See website for details.



Scan the code to register for super fast repairs.

Book your repairs via the Hilti Connect app, [www.hilti.com.au](http://www.hilti.com.au) or 131 292.

Get the Hilti Connect app for iOS or Android.





# PRODUCTIVITY PLUS

Complete systems for mechanical trades

Hilti Systems



## MECHANICAL SYSTEMS

The innovative tools and accessories we supply to the construction industry are as varied as the applications in this field.

We offer a range of products for measuring, drilling, diamond coring, chiselling, cutting, grinding and fastening as well as special solutions for applications such as dustless overhead drilling and clean penetration diamond coring. Our products form fully matched system components, designed for maximum performance and reliability to help you work faster and stay productive longer.

We understand safety is a priority, that's why our dust removal, vibration reduction and active torque control features were developed to provide highly effective user protection.

## HILTI SYSTEMS – A CASE STUDY

Cleaner diamond coring for plumbing pipe penetration



Firestop solutions for a wide range of pipe types and diameters and with a wide range of approvals



Diamond core bits, rings and change modules, designed for ultimate drilling performance for coring in concrete and masonry



DD-250 heavy-duty diamond drilling system for rig-based coring in a very wide diameter range of 12-450 mm (1/2" - 18")



DD-WMS 100 single unit for the supply of cooling water as well as the collection and filtration of wastewater from diamond drilling systems

### IMPROVED SAFETY

- The worker is not exposed to concrete slurry

### IMPROVED PRODUCTIVITY

- Heavy-duty drive unit with four-speed gearing and convenient controls
- No additional cleaning work

**THE END RESULT:** Improved safety and greater productivity.

# ACCURATE, RELIABLE AND EASY TO USE

Hilti Measuring  
Systems



## PD-I laser range meter

- Laser precision for reliable results and accuracy  $\pm 1\text{mm}$
- Makes measuring a one person task, helping you get the job done faster
- Can measure area and volume
- Can add, subtract and do Pythagoras
- Extremely simple to use



## PM 40-MG multi-line green laser

- Vertical alignment of pipes
- Easy and fast aligning – rotating platform with improved fine adjustment
- All the lines you need – 4 vertical and a 360° horizontal lines, bottom plumbing point
- Green beam – 4 times more visible than red



## PX 10 transpinter

- Position for a penetration
- Find drill bit start/exit point before drilling or coring through walls or floors
- Wall thickness measurement for easy selection of the required drill or core bit length



## PS 50 multidetector

- Detect and avoid rebar, aluminium, copper, plastic, wood, live wire and pipes in a range of base materials
- Helps you drill right the first time – knowing where to drill helps avoid costly repairs
- Simple and easy to operate and interpret display



## PS 1000 X-Scan

- Easy to use pulse radar detection tool
- Provides real-time internal view of concrete structure for on-site evaluation
- Locate rebar, tendons, metal and plastic conduits, glass fibre cables, voids in dry concrete structures in depths up to 300mm
- Avoid hitting concealed objects, find a safe spot to drill, core and saw





# THE FREEDOM TO GET THE JOB DONE

Hilti Cordless  
Systems



## TE 4-A22 DRS cordless rotary hammer with dust extraction

- Repetitive drilling in all directions in concrete and masonry, recommended diameter range 5-12mm
- Safer work environment with dust-free drilling using the TE DRS 4-A



## TE 6-A22 DRS cordless rotary hammer with dust extraction

- Drilling and hammer drilling in concrete and masonry, recommended diameter range 6-16mm
- Extremely powerful rotary hammer, designed for serial anchor hole drilling in concrete and chiseling
- Virtually dustless drilling when used with the DRS-6-A dust removal system



## SIW 6AT-A22 with adaptive torque module

- High-efficiency brushless motor for long lifetime and more work per charge
- First impact wrench-based Adaptive Torque system on the market covering ETA and ICC-ESR approvals for stud anchor installations
- Mechatronic system to control fastening
- Compact design allows easy use in tight corners



## SCM 22-A cordless metal cut circular saw

- Cutting openings in sheet metal in heating and air conditioning installation work
- Weighs just 4kg for best handling and ease of use
- Blade brake stops in 0.5 sec for maximum safety
- Cut channels and pipes quickly and cleanly with no sparks



## CD 4-A22 caulking dispenser

- Versatile tool that can be used interchangeably with either 310 ml cartridges or 600 ml barrels
- Powerful tool for dispensing high-viscosity material with ease



# HIGH PERFORMING AND VERSATILE

Hilti Drilling  
Systems



## TE 30-ATC-AVR combihammer

- Repetitive drilling in concrete and masonry, optimal range 10 – 20 mm
- Light chiselling on brick and block, corrective chiselling and concrete finishing
- Active Vibration Reduction (AVR) reduces vibration significantly making the tool less tiring to use
- Active Torque Control (ATC) for maximum safety thanks to automatic cut-out in critical situations



## TE 50-AVR combihammer

- Lightest combihammer in the SDS max class
- Repetitive drilling in concrete, masonry and natural stone, optimal range 16 – 32 mm
- Light chiselling on masonry
- Active Vibration Reduction (AVR) reduces vibration significantly making the tool less tiring to use
- Detachable supply cord allows quick replacement



## TE 60-ATC-AVR combihammer

- Repetitive drilling in concrete and masonry, optimal range 18 – 80 mm
- Detachable supply cord allows quick replacement
- Active Torque Control (ATC) for maximum safety thanks to automatic cut-out in critical situations
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity





# POWERFUL, FAST AND SAFE

Hilti Breaking  
Systems



## TE 700-AVR breaker

- Wall demolition in masonry and brick
- Highest impact energy in its class
- Maintenance-free brushless SR motor for longer service intervals and tool lifetime
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity
- Dust suppression hood available for a virtually dustless environment



## TE 1000-AVR breaker

- Demolition of concrete and masonry
- Unmatched performance thanks to exceptional impact energy and innovative Hilti Polygon chisel
- Maintenance-free brushless SR motor for longer service intervals and tool lifetime
- Detachable supply cord for quick and easy exchange in case of damage
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



## TE 2000-AVR breaker

- High performance floor breaker
- Maintenance-free brushless SR motor for longer service intervals and tool lifetime
- Low weight and great balance for excellent handling in demanding applications
- Active Vibration Reduction (AVR) makes the tool less tiring to use and increases daily productivity



# WORK FASTER AND LONGER

Hilti Tool Inserts  
for mechanical trades



## Hammer drill bits (SDS)

- SDS hammer drill bits designed with a full carbide head and bits
- Unique head and helix design to drill faster than any other drill
- For concrete, brick, masonry and more
- Connection ends available: TE-C, TE-Y



Hollow drill bits



TE-CX / TE-YX



TE-C / TE-Y



HD Setting tool and  
stop hammer drill bit



Percussion core bits



Thin wall corebits for  
aerated concrete/ brick

## Chisels and setting tools

- Pointed and flat chisels with self-sharpening tips and inductive hardening
- Designed for superior performance and longer life
- For demolition and channel work
- Connection ends available: TE-C, TE-Y, TE-S, HEX 28



Flexible chisels



Pointed chisels



Wide-flat chisels



Clay spade chisel



Narrow flat chisels




Channel chisel




Bushing tool

## Reciprocating saw blades

- Ideal performance and extra life in a wide range of metal and wood cutting applications
- Additional TPI, blade lengths and pack sizes available – see Hilti website for more information



MD – Heavy Metal (thick kerf)



MS – Metal (thin kerf)



WD – Wood and Metal



UD – Multiple Materials (thick kerf)



WDX – Ultimate Wood and Metal

## Circular saw blades

- Fast speed, high precision and extra long life in metal and wood cutting applications
- Sizes available: 165mm, 190mm



Stainless and steel blade



Framing blade



Wood cutting



Non ferrous metal cutting



# WORK FASTER AND LONGER

Hilti Tool Inserts  
for mechanical trades



## Jig saw blades

- High precision and fast speed
- For straight and contour cutting in wood, metal, stainless steel and other materials



Metal



Wood



Universal

## Band saw blades for SB 4-A22

- Fast cutting metal band saw blades for low noise, low residue
- Cold cutting in steel pipe and tubing
- Available TPI: 10/14, 14/18, 24



## Smooth shank bits

- A wide range of smooth and hex shank bits for multiple base materials
- Additional sizes and connection ends are available – see Hilti website for more information



HSS metal drill bits



Cutout bits



Stepper bits



Spade bits



Bimetal holesaws

## Small abrasives

- For cutting, grinding and polishing and finishing work
- Sizes available: 115mm, 125mm, 180mm, 230mm



SP - Cutting



SPX - Cutting



SP - Flap disc



UP - Grinding

# QUICK, PRECISE AND CLEAN

Hilti Diamond  
Systems



## DD 150-U diamond coring system

- Tremendous versatility to core drill wet, dry, on the rig or hand-held, from an all-in-one system
- 3-speed mechanical gearing to match coring diameter for optimal performance
- Rig-based wet drilling for penetrations in concrete for pipes and cables



## SPX, SP & P – unique diamond core bit portfolio

- X-change module technology lets you re-tip your core bits on site, saves time & weight, helps to get unstuck (SPX)
- Ultimate performance (speed, lifetime & constant performances) thanks to the Equidist technology (SPX & SP)
- Main diameters always available in Hilti Stores (P)



Line	Performance	Change module	Shock resistant	Balance	3-Change module	Performance class description
SPX	●●●●	✓	✓	✓	✓	Ultimate performance delivers lowest loss and through-hole savings
SP	●●●○	✓	✓	✓	✓	Premium solution delivers solid performance for demanding users
P	●●○○	✓	✓	✓	✓	Standard product delivers lowest acquisition cost with high quality



## DD-WMS 100 unique water management system

- Keeps jobsites clean – all slurry is collected and the water is filtered for reuse
- Operates in 3 modes – recycling, vacuum cleaning and water supply
- Provides one full day of water autonomy (100L) for wet diamond coring applications
- Works with all diamond coring tools



## DC-SE 20 – HSE slitting tool for chasing

- Ergonomic design to reduce tiring
- Dust-free and low vibration to allow a full day's work
- Fully enclosed discs for maximum safety
- Easy and precise cutting depth (max 40mm) and width (max 46mm) adjustment
- Works in all base materials



## VC 40-UM dry/wet M-class vacuum cleaner

- Remove dust and slurry from drilling, slitting, grinding and wet/dry coring
- 1200W powerful motor
- Hilti Airboost filter technology for consistently high suction performance
- Automatic filter cleaning every 15 seconds
- M-class to comply with Australian construction's legislation





# ANCHOR SOLUTIONS BUILT TO CODE

Hilti Anchor  
Systems



## NCC COMPLIANCE

To ensure you comply with the National Construction Code (NCC), ask for the ETA documentation for the selected anchor.

## STRONGEST ANCHORS

Our anchors provide the strongest solution for safety critical applications in concrete, fully backed by technical documentation, software and engineering services.

## WIDEST RANGE

We offer a full suite of ETA assessed anchoring solutions, to suit every application from basic through to the most complex and challenging.



## SAFE-SET FAST, RELIABLE AND SAFE

- Auto-cleaning with Hilti hollow drill bit
- Dustless
- NCC compliant and ETA approvals for the following products:



- Roughen diamond cored holes for better bonding
- Allows higher loads
- NCC compliant and ETA approved for RE 500 V3 and HY 200-R



## THE APPROVED ADAPTIVE TORQUE SYSTEM



Torque bar



HSA



HST3




HST3 setting with SIW-6AT impact wrench




## SCREW ANCHORS HUS3

Reliable and ETA approved for numerous permanent applications.

- Fast
- No torque wrench
- High loads like stud anchors
- Adjustable
- Cuts through rebar



## ETA APPROVED FOR DIAMOND CORED HOLES



1) Cored with DD EC-1 or DD 30-W tool

Product	COMPLIANCE TO AS 5216		SAFETY BEYOND AS 5216 – MAXIMUM PROTECTION IN EXTREME CONDITIONS					
	ETA for anchoring	ETA for cracked concrete	Seismic approvals C1 (ETA)	Seismic approvals C2 (ETA)	Seismic approvals (engineering judgement)	Shock approval	Fatigue approval	Fire approval
HDA	■	■	■	■		■	■	■
HSL3	■	■	■	■		■	■	■
HST3	■	■	■	■		■		■
HMU-PF	■	■	■			■	■	■
HSC***	■	■		■		■		■
HUS3*	■	■	■	■				■
HUS3-I / HUS3-A / HUS3-H6**	■	■			■			■
HSA	■							■
HKD**	■							■
DBZ**	■							■
HRD**	■							■

\*Seismic C1 & C2 approval for diameter 10mm & 14mm. Seismic C1 approval for diameter 8mm.

\*\*Approvals for redundant fastenings available. Contact Hilti for advice. \*\*\*Seismic C2 approval for M8 & M10 HSC-A anchor only.

# STRONGEST ANCHORS, WIDEST APPROVALS

Hilti Chemical  
Anchor Systems



## HIT-HY 200 ultimate hybrid mortar

- Fast cure hybrid mortar (60 mins @ 20°)
- C1 and C2 ETA seismic approvals
- Suitable for use in cracked and uncracked concrete
- Use SAFEset hollow drill bits for dustless, auto-cleaning hole drilling



## HIT-HY 170 everyday hybrid mortar

- Suitable in cracked and uncracked concrete
- Can be used indoors and outdoors
- Suitable in masonry applications
- Fast curing time



## HVU2 ultimate capsule technology

- Suitable in cracked and uncracked concrete
- Tapered design for overhead applications
- C1 and C2 ETA seismic approvals
- Can be loaded almost instantly (5 min)



## HIT-HY 270 ultimate hybrid mortar (masonry)

- Strong and reliable fastening in a variety of masonry base materials
- Ideal in refurbishment and renovation applications
- Use with HIT-SC composite sleeve in hollow base materials



## Manual and battery dispenser systems

- HDE 500-A22: Battery dispensing for effortless powered dispensing with minimal wastage
- Manual dispensing with minimal dripping and almost no wastage







### HKD drop-in anchor (M10 x 30)

- Flared end for accurate flush setting
- Perfect for hanging pipe, cable and ventilation systems




### HKD 'short' drop-in anchors

- Shallow depth (25mm) drilling for M6, M8, M10, M12, avoids rebar strikes
- Fast installation time with unique setting tool – 50% faster than using a hammer and punch
- Drill with rotary hammer, remove bit and set with piston



### HUS3-H 6 screw anchor (hex head)

- Integrated washer
- Easily removable
- Productivity gain due to installation speed and effortless setting
- Used for channels and large scale repetitive fastenings



### HUS3-I 6 screw anchor (internal thread)

- Less drilling and convenient overhead solution
- Significant time saving versus traditional anchor methods
- Great for various piping and ventilation applications



### HUS3-P 6 screw anchor (pan head)

- Significant time saving on total installation time versus traditional methods
- Less drilling and convenient overhead installation
- Adjustable new channel system elements due to flat head configuration



### HST3 expansion anchor

- Tolerates high loads and small edge distance with 3 embedment depths
- Fast hammering and reliable/convenient torquing possible with the Hilti system solution
- Approved for seismic applications categories C1 and C2 (ETA)



# MAXIMISE YOUR PRODUCTIVITY

Hilti Powder-Driven  
Fastening Systems



## DX 351 ME powder-actuated tool

- Fastening of threaded rod hangers, ceiling clips and other fasteners
- Fully automatic system
- Light and compact
- Versatile: specific fasteners available for each application



## DX 351-CT fastening pole tool

- Fastening of threaded rod hangers and ceiling clips to concrete or composite deck for hanging mechanical services
- Specialised ceiling tool, do away with the need for ladders and simply install fixtures from a standing position




## X-UCT P27

- Time-saving, reliable and versatile fastener for ducting and cable ties
- Pre-mounted with the high-performance Hilti X-P nail for optimised stick rate on concrete
- Friction-fit in the nose of a wide range of powder actuated nailers – preventing the clip from falling off the fastener guide
- Multiple tie points for versatility – items can be tied from more angles with just one holder



## X-HS threaded hanger for concrete

- Quick fastening to steel and concrete
- Threaded rod can be pre-fitted
- Install suspended components e.g. ceiling frames or pipes
- Fastening installation channels on roof beams or ceilings



## X-CC-U ceiling clip for concrete

- High performance ceiling clip
- Perfect for bracing
- Loads up to 20kg per fastening point
- Pre-drilling with DX-Kwik can achieve loads of 90kg





# EFFICIENT AND PRODUCTIVE

## Hilti Gas-Driven Fastening Systems




### GX 3-ME gas system

- No battery – so no power source needed and no downtime due to charging
- Wide range of nails for fastening to a wide variety of materials
- Gas gauge helps to avoid running out of gas unexpectedly
- High fastening rate for high productivity and maximum efficiency



### Gas can and nails system

- Gas nails for all base materials
- X-P G3 MX:** Suitable for hard concrete
- X-S G3 MX:** Suitable for steel
- GC 42:** Gas can, drives maximum 1200 fasteners



### X-UCT multi-directional cable holder

- Tough polyamide material suitable for attaching PE-X pipe types
- Wide opening suitable for cable ties
- Friction fit in the nose of gas tools for easy handling



### X-ECT cable tie fastener

- Fastening PE-X and other plastic pipe types
- Cost efficient method
- Friction fit in the nose of gas tools for easy handling
- Ideal universal holder of cable ties with a width of up to 9mm



### X-EKSC pipe clip

- Simple and clean fastening solution for metric pipes, can be used singly or neatly clipped together
- Simple and fast attachment of lightweight PE-X and other plastic pipe types to walls and ceilings



# RELIABLE AND CONSISTENT

## Hilti Battery-Driven Fastening Systems




### **BX 3-ME 02 battery powered fastening tool**

- Fastening electrical clips to concrete, plastered masonry, filled block and steel
- Smart features through bluetooth connectivity and the Hilti Connect app
- Drives 800 nails on a single charge
- Uses 22 volt, 5.2 Ah battery, compatible with all Hilti 22 volt cordless tools



### **BX nail system**

- X-P B3 MX: Ballistic point, collated nails for concrete
- X-S B3 MX: Ballistic point, hardened collated nails for steel
- X-P B3 P7: Ballistic point, single nails for concrete



### **X-PT B3 pole tool accessory for overhead fastening**

- Safe overhead fastening without a ladder
- Cradle securely clamps the tool
- Extensions available to allow up to 7 foot reach



### **X-UCT multi-directional holder**

- Tough polyamide material suitable for attaching PE-X pipe types
- Wide opening suitable for cable ties
- Friction fit in the nose of gas or battery-driven fastening tools for easy handling



### **X-EKSC closed clips for pipes**

- Simple and clean fastening solution for metric PE-X and other plastic pipe types, can be used singly or neatly clipped together
- Friction fit in the nose of powder, battery or gas-driven fastening tools for easy handling







VISIT [WWW.HILTI.COM.AU](http://WWW.HILTI.COM.AU) OR CALL 131 292 FOR FIRESTOP APPROVAL DOCUMENTATION

**NEW** **CFWC 100 floor waste collar**



- Specifically tested for floor waste applications
- Tested with 100mm diameter uPVC sandwich core pipes
- Reliable 4 ways active spring design
- Optional recess plate provides 25mm recess under the collar to maximise vertical space in the floor below



**CP 680N/S firestop collar**



- One step cast-in installation for concrete slabs
- Seals pipes from 32mm to 160mm in dia.
- Suitable for PVC, PP, PP-R and HDPE pipes
- Easy to remove and replace pipes
- May be used as a floor waste collar with the addition of the Hilti CP 680 N-RAD



**CFS-C P firestop collar**



- Seals pipes from 40mm to 200mm in dia. penetrating through concrete, aerated concrete, prefabricated panels, masonry and plasterboard walls
- Suitable for sealing around acoustic pipes
- Allows for quick and easy installation without the use of tools



**CP 611A firestop intumescent sealant**



- High expansion firestop mastic for interior firestopping applications in concrete, aerated concrete, prefabricated panels, masonry and plasterboard walls
- Suitable for sealing around PE-X water and PE-X/Al/PE-X gas pipes
- Paintable
- Recommended dispenser: Hilti CD4-A22 with short assembly set



**CP 606 flexible firestop sealant**



- Water-based acrylic sealant for interior firestopping applications in concrete, aerated concrete, prefabricated panels, masonry and plasterboard walls
- For sealing around metal pipes up to 150mm dia.
- Paintable
- Impervious to smoke, gas and water
- Recommended dispenser: Hilti CD4-A22 with long assembly set



# HILTI ORDERING INFORMATION

## MEASURING, ALIGNING AND DETECTION SOLUTIONS

Ordering designation	Item number
<b>Laser range meters</b>	
PD 5 Laser range meter	2004788
PD-I Laser range meter	2061407
PD-E Laser range meter	2062050
PD-CS Wi-Fi enabled laser range meter	2102498
<b>Multi-directional lasers</b>	
PM 2-LG Green line laser	2098522
PM 40-MG Multi-line green laser +Bat+Charger kit	3586049
PM 40-MG Multi-line green laser +Bat+12V Adapter kit	3586050
PM 40-MG Multi-line green laser +Bat+Charger+Bracket+Target kit	3586051
PM 40-MG Multi-line green laser Complete kit	3586052
<b>Detection systems</b>	
PX 10 Transpointer	273124
PS 50 Multidetector	2075559
PS 1000 X-Scan	2154108
PS 1000 X-Scan + PSA 200 Tablet	3597017

## CORDLESS DRILLING, CUTTING AND GRINDING SOLUTIONS

<b>Drill/drivers, impact drivers, rotary hammers 22 volt and 36 volt kits</b>	
SID 4A 2 x B22/5.2Ah batteries + 350 fast charger in Hilti tool case	3592108
SIW6AT 2 x B22/5.2Ah batteries + 350 fast charger in Hilti tool case	3601904
SF 6H B22/5.2Ah batteries + 350 fast charger in Hilti tool case	3592115
TE 6-A36-AVR + DRS-6-A + 2x B36 5.2 Li-Ion battery + charger	3564667
TE 6-A22 + 2 batt + 350 chrg + DRS-6-A	3599276
Dust extraction hood TE DRS 6-A	2098235
TE 30-A36 tool in a tool case + 2 x B36 / 5.2Ah batteries + fast charger	3584224
CD 4-A22 caulking dispenser	2217418

## DRILLING AND BREAKING SOLUTIONS

<b>Premium bits</b>	
TE 30-ATC-AVR tool in Hilti tool case	2069953
TE 50-AVR in Hilti tool case	2128230
TE 60-ATC tool in Hilti tool case	2132189
TE 700-AVR tool in Hilti tool case including 2 TE-YP chisels	2021721
TE1000-AVR tool in Hilti tool case including 2 chisels	3527923
TE 2000-AVR with 2 chisels & chisel bag	3596890

## INSERTS FOR MECHANICAL TRADE

<b>Hammer drill bits</b>	
Hammer drill bit TE-CX 5/12 MP8	2021990
Hammer drill bit TE-CX 5/17 MP8	2021992
Hammer drill bit TE-CX 6/12 MP8	2021997
Hammer drill bit TE-CX 6/17 MP8	2021998
Hammer drill bit TE-CX 8/17 MP8	2022003
Hammer drill bit TE-CX 10/17 MP8	2022008
Hammer drill bit TE-CX 20/48	421966
Hammer drill bit TE-CX 25/48	422660
Percussion core bit TE-C-DS 50/130	339129
Percussion core bit TE-C-DS 35/130	375929
Setting tool HKD-TE-CX M10x25	414480
Setting tool HKD-TE-CX M12x25	2097386
Hammer drill bit TE-CD 16/37	2018945
Hammer drill bit TE-CD 18/37	2018946
Hammer drill bit TE-YX 20/52	2122297
Hammer drill bit TE-YX 25/52	2122276



**INSERTS FOR MECHANICAL TRADE (CONT'D)**

Ordering designation	Item number
<b>Chisels and setting tools</b>	
Clay spade chisel TE-S SPI 50	406785
Narrow-flat chisel TE SP FM 50	2065557
Wide-fl chis/scr TE-CP SPME 4/18	282304
Wide-fl chis/scr TE-CP SPME 8/18	282306
Narrow-flat chisel TE-CP FM 25	282301
Pointed chisel TE-YP SM 50	282265
Narrow-flat chisel TE-YP FM 50	282269
<b>Smooth shank bits</b>	
Spade bit WDB-S-H6 25x152	2025575
Spade bit WDB-S-H6 16-32 set	2025582
Spade bit WDB-S-H6 22x152	2025573
Stepped drill bit 4-20	304983
Stepped drill bit M10-M40	304984
Pilot bit 6 mm	283870
Twist drill bit HSS 1-13 kit	304939
Bimetal hole saw 25mm-1" MultiCut	417603
Bimetal hole saw 32mm-1 1/4" MultiCut	417607
Bimetal hole saw 40mm-1 9/16" MultiCut	417612
Bimetal hole saw 51mm-2" MultiCut	417618
Cut-out bit SCOB DG 5/32 (10)	2149890
Cut-out bit SCOB DDW 1/4 (5)	2149891
<b>Circular saw blades</b>	
Circ. saw blade SC-C MU 165x20 z40 A	2014797
Circ. saw blade SCB WU 165x20 z24 A	2037951
Circ. saw blade SC-C MS 165 AL	2023990
<b>Reciprocating saw blades</b>	
Recip. saw blade UD 30 1014 (5)	2099408
Recip. saw blade MD 23 10 (5)	2099294
<b>Band saw blades</b>	
Band saw blade SB 4 BM 14/18 TPI (3)	2150032
Band saw blade SB 4 BM 10/14 TPI (3)	2150031
<b>Jig saw blades</b>	
Jig saw blade W-CSJ M 74/P MetalCut	378127
Jig saw blade W-CSJ W 75/4 CurveCut	378121
<b>Abrasives</b>	
Cutting disc AC-D SP 125x1.0 (MP100)	2181350
Cutting disc AC-D SPX 125x1.0	2150705
Grinding wheel AG-D SP 125x6.4	2150740

**DUST-FREE SOLUTIONS**

<b>Water management system</b>	
DD-WMS 100 + Push bar + 5 filtration bags	3582522
DD-WMS 100 + Push bar + 67,122,142,172,250 water rings +5 filtration bags	3582673
<b>Dust free slitting solutions</b>	
Univ. vacuum cleaner VC 40-UM 240 V	2183222
Univ. vacuum cleaner VC 40-UM 240 V with accessory set + 5 Dust filter bags	3579066
DC-SE 20 slitting machine for wall chasing	312269
Slitting machine DC-SE 20 + vacuum cleaner VC 40-U + 4 x concrete cutting blades	3541068

# HILTI ORDERING INFORMATION

## DIRECT FASTENING SOLUTIONS

Ordering designation	Item number
<b>Powder-actuated</b>	
Powder-actuated tool DX 351 M+E	373107
DX 351-CT kit	3614316
Cable Tie Holder X-UCT P27	2187805
Ceiling Clip X-CC U27 P8	386230
Ceiling Clip X-CC CS27 P8	2005065
Ceiling Hanger X-HS M10 U32 P8 S15	361790
<b>Battery-actuated</b>	
BX 3-ME 02 A22 case	2184454
BX 3-ME 02 A22 case + 2 x B22/5.2Ah + Charger	3613852
X-P 20 B3 MX	2156390
X-P 17 B3 MX	2156219
BX 3 7ft Pole Tool	3542839
BX 3 5ft Pole Tool	3542838
<b>Gas-actuated</b>	
GX 3-ME	3584206
X-P 20 G3 MX (1200) + GC 42	2135983
X-P 17 G3 MX (1200) + GC 42	2135982
GX 3 7ft Pole Tool	3584324
GX 3 5ft Pole Tool	3585574
Cable tie holder X-UCT MX	2095183
Cable tie holder X-ECT MX	285709
Cable tie with holder X-ECT 40 MX	432947
Ceiling clip X-ECC MX	228342
Electrical cable clamp X-EKSC 16 MX	274083
Electrical cable clamp X-EKSC 20 MX	274086
Electrical cable clasp X-EKB 16 MX	285714

## MECHANICAL ANCHOR SOLUTIONS

<b>HUS3 screw anchor systems</b>	
Screw anchor HUS3-I 6x35 M8/M10	416740
Screw anchor HUS3-A 6x35 M8/16	416741
Screw anchor HUS3-P 6x40/5	416745
Screw anchor HUS3-H 6x40/5	416735
<b>HUS screw anchors for seismic applications</b>	
Screw anchor HUS3-I 6x55 M8/M10	423180
Screw anchor HUS3-A 6x55 M10/21	416744
Impact socket S-NSD 1/2"-15 L	408417
Hammer drill bit TE-CX 6/17 MP8	2021998
<b>HKD knock in anchor system</b>	
Flush anchor HKD M10x25 bucket	2037454
Flush anchor HKD M12x25 bucket	378432
Setting tool HKD-TE-CX M10x25	414480
Setting tool HKD-TE-CX M12x25	2097386
<b>HST3 stud anchor system for seismic applications</b>	
Safety stud anchor HST3 M8x75 -/10	2105888
Safety stud anchor HST3 M8x115 -/50	2105890
Safety stud anchor HST3 M10x70 10/-	2113974
Safety stud anchor HST3 M10x100 40/20	2105713
Safety stud anchor HST3 M12x85 10/-	2113978
Safety stud anchor HST3 M16x135 35/15	2105858
<b>Light duty mechanical anchors</b>	
Sleeve anchor HLC 10x50/15 bucket	385821
Impact anchor HPS-1 5/5x25	260347
Wedge anchor DBZ 6/4.5	256312



## CHEMICAL ANCHOR SOLUTIONS

Ordering designation	Item number
<b>Fast cure hybrid mortar for concrete</b>	
HY 200-R	2045032
<b>Fast cure hybrid mortar for concrete &amp; masonry</b>	
HY 170	2132024
<b>Fast cure capsule system</b>	
HVU2 M12	2164507
HVU2 M16	2164508
HVU2 M20	2164509
<b>Capsule system rods</b>	
HAS-E-F 5.8 M12	333148
HAS-E-F 5.8 M16	333153
HAS-E-F 5.8 M20	333158

## FIRESTOP AND CHEMICAL SOLUTIONS

<b>Foams, sealants and joint fillers</b>	
CP 606 Flexible firestop sealant	209633
CD4-A22 Battery-powered dispenser	2217418
Long assembly set for CD4-A22	2218556
CS 270-P1 Manual dispenser	24669
CP 611A Firestop intumescent sealant	220351
CD4-A22 Battery-powered dispenser	2217418
Short assembly set for CD4-A22	2218784
CFS-DISP Manual dispenser	2005843
CFS-F FX Firestop foam	429802
CP 679 Firestop cable coating	372097
<b>Retrofit collars</b>	
CFS-C P 50/1.5" Firestop collar	435406
CFS-C P 63/2" Firestop collar	435407
CFS-C P 75/2.5" Firestop collar	435408
CFS-C P 90/3" Firestop collar	435409
CFS-C P 110/4" Firestop collar	435410
CFS-C P 125/5" Firestop collar	435411
CFS-C P 160/6" Firestop collar	435412
<b>Cast-in collars</b>	
CFWC 100 Floor Waste Collar	3596017
CP 680-75/2.5" N Int Cast-in device	282694
CP 680-75/2.5" N-RAD retrofit addition	3424903
CP 680 110/4" S Cast-in device	273341
CP 680-110/4" N-RAD retrofit addition	3413068
CP 680-160/6" N Int Cast-in device	282696



# PROFESSIONAL ASSISTANCE

Helps make every project a success

Hilti Engineering Services



## HILTI SERVICE SUPPORT POLICY

The availability of professional technical support is just as important to Hilti as the production of quality tools. Our team of Field Engineers provide expert technical support, on site or by telephone. We know that every day on the job site brings a new challenge and that's why Hilti Engineers are on-hand to consult on a wide range of technical solutions.



## PROJECT SUPPORT

Hilti project managers and engineers assist by coordinating logistics and technical support for defined projects.

## ON-SITE TECHNICAL CONSULTING

Our engineers provide on-site support at any location. They offer a consulting service for engineers and construction professionals on specific application needs. Training and site-testing is also a service we can offer.

## TECHNICAL SOFTWARE AND DOCUMENTS

Our innovative and practical software solutions cover everything from anchor design and selection, to installation concepts, and are available to support you in your daily work. Technical documents such as approvals, test certificates and technical data sheets can be viewed and downloaded from Hilti Online at [www.hilti.com.au/downloads](http://www.hilti.com.au/downloads)

## CONTACT US

For any of these services you can contact us on **131 292** or [serviceaustralia@hilti.com](mailto:serviceaustralia@hilti.com)



# WE'RE HERE TO HELP

How to get in touch



## Contacting Hilti



### CUSTOMER SERVICE

Customer Service representatives are available Monday to Friday from 7:30am to 5:00pm. Our professionally trained team can help you with product advice, orders and deliveries, as well as organising on-site product demonstrations.

**Call: 131 292 Fax: 1300 135 042 Email: [serviceaustralia@hilti.com](mailto:serviceaustralia@hilti.com)**



### HILTI STORES

Our national network of Hilti Stores are much more than display or sales points for Hilti products. At a Hilti Store, you can receive professional advice on products and applications. You can also have hands-on demonstrations of Hilti products. Find a location near you.

**Visit: [www.hilti.com.au/stores](http://www.hilti.com.au/stores)**



### HILTI ONLINE

7 days a week, 24 hours a day, our website is available at your own convenience during and after office hours, with quick access to product information and pricing. Register to order online, review your order history, see your tool list and more. Get the Hilti Mobile app for Android or iOS.

**Visit: [www.hilti.com.au](http://www.hilti.com.au)**



### ACCOUNT MANAGERS

Our professionally trained Account Managers are readily available nationwide, to visit your place of work, where and when you need. They can help evaluate your job requirements and suggest ways to increase your productivity and profitability.

**Call: 131 292**

**Sydney – Alexandria**  
154 Bourke Road  
Alexandria NSW 2015  
Mon – Fri 7.00am – 5.00pm

**Sydney – Lidcombe**  
35 Parramatta Road  
Lidcombe NSW 2141  
Mon – Fri 7.00am – 5.00pm

**Sydney – Annandale**  
245a Parramatta Road  
Annandale NSW 2038  
Mon – Fri 7.00am – 4.00pm

**Sydney – Seven Hills** **NEW**  
1/1 Tucks Road  
Seven Hills NSW 2147  
Mon – Fri 7.00am – 4.00pm

**Newcastle**  
70-72 Orlando Road  
Lambton NSW 2299  
Mon – Fri 7.00am – 4.00pm

**Melbourne**  
203-205 Normanby Road  
South Melbourne VIC 3205  
Mon – Fri 7.00am – 5.00pm

**Brisbane**  
718 Kingsford Smith Drive  
Hamilton QLD 4007  
Mon – Fri 7.00am – 5.00pm

**Gold Coast**  
Unit 5/46-50 Spencer Road  
Nerang QLD 4211  
Mon – Fri 7.30am – 4.30pm

**Townsville**  
Unit 8/264 Woolcock Street  
Currajong QLD 4812  
Mon – Fri 7.30am – 4.30pm

**Cairns**  
29 Hannam Street  
Cairns QLD 4870  
Mon – Fri 7.30am – 4.30pm

**Adelaide** **NEW**  
183 Railway Terrace  
Mile End South SA 5031  
Mon – Fri 7.00am – 5.00pm

**Perth**  
150 Abernethy Road  
Belmont WA 6104  
Mon – Fri 7.00am – 5.00pm

**Darwin**  
32 Benison Road  
Winnellie NT 0820  
Mon – Fri 7.30am – 4.30pm

**Hobart**  
56a Hopkins Street  
Moonah TAS 7009  
Mon – Fri 7.30am – 4.30pm

[📍 FIND A STORE](#)



Hilti (Aust.) Pty Ltd  
Level 5, 1G Homebush Bay Drive  
Rhodes NSW 2138

P 131 292  
F 1300 135 042  
[www.hilti.com.au](http://www.hilti.com.au)

