

Printing date 27.08.2013 Version number 2 Revision: 27.08.2013

Not classified as hazardous according to criteria of Australian Safety and Compensation Council

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: DX-Cartridge

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation Cartridges for technical purpose
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hilti (Aust.) Pty. Ltd.

Level 5, 1G Homebush Bay Drive

Rhodes N.S.W. 2138

Australia Phone: 131 292 Fax: 1300 135 042

Email: serviceaustralia@hilti.com

· Informing department:

df-hse@hilti.com see section 16

· Emergency telephone number:

Schweizerisches Toxikologisches Informationszentrum - 24 h Service

Tel.: 0041 / 44 251 51 51 (international)

Hilti (Aust.) Pty. Ltd. Phone: 131 292 Fax: 1300 135 042

2 Hazards identification

· Classification of the substance or mixture

The dismantling of the article is prohibited.

This article contains hazardous substances or preparations not intended to be released under normal or reasonably foreseeable conditions of use.



GHS01 exploding bomb

Expl. 1.4 H204 Fire or projection hazard.

· Additional information:

Category of the pyrotechnic article: other pyrotechnic articles Cat. P1

(BAM EC-Type-Examination Certificate No. 0589.PYR.3800/12 or 0589.PYR.3804/12 respectively)

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS01

- · Signal word Warning
- · Hazard statements

H204 Fire or projection hazard.

· Precautionary statements

P210 Keep away from heat. - No smoking. P250 Do not subject to grinding/shock/friction.

- P280 Wear eye protection / face protection.

 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)



Printing date 27.08.2013 Version number 2 Revision: 27.08.2013

Trade name: DX-Cartridge

· **vPvB**: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Mixture consisting of the following components.

max. net explosives weight each cartridge in mg:

Caliber 6.8/11 (cal .27 short) white: 130; brown: 140; green: 160; yellow: 180; red: 230; black: 260

Caliber 6.8/18 (cal .27 long) green: 190; yellow: 220; blue: 300; red: 330; black: 410

Caliber 6.3/10 (cal. 25) green 120; yellow: 190; red: 230; black: 250

Caliber 5.6/16 (cal .22) grey: 105; brown: 120; green: 175; yellow: 210; red: 270

Dangerous components:

Within the cartridges the explosive ingredients (gun powder and priming composition) are hermetically separated from the environment. They will be only opened with effort and under destruction of the article.

Propellant powder: Single base powder, containing glyceroltrinittate

Mass per cartridge: essentially dependent on the required power (100-400 mg)

Priming composition: SINOXID (initiating explosive) Mass per cartridge: 22-33 mg in the mean.

55-63-0	glycerol trinitrate	3-<25%
	 ♦ Unst. Expl., H200; ♦ Flam. Liq. 2, H225; ♦ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; ♦ STOT RE 2, H373; ♦ Aquatic Chronic 2, H411 	
15245-44-0	lead 2,4,6-trinitroresorcinoxide	0.1-<5%
	Unst. Expl., H200; & Repr. 1A, H360; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H332	
10022-31-8	barium nitrate	0-<5%
	♦ Acute Tox. 4, H302; Acute Tox. 4, H332	
122-39-4	diphenylamine	0-1%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

· SVHC

15245-44-0 lead 2,4,6-trinitroresorcinoxide

· Additional information

Exposed propellant powder outside a cartridge is harmful if swallowed and highly flammable; without tamping no explosion risk.

Packed safety cartridges don't represent a significant risk.

In case of reaction no dangerous fragments or projectiles will be formed.

Mechanical or thermal attempts to expose the primer composition lead to an immediate reaction of the dangerous ingredients.

4 First aid measures

- · Description of first aid measures
- · General information First aid measures only required by release of ingredients or generation of decomposition products.
- · After inhalation Take affected persons into the open air and position comfortably
- · After skin contact Instantly wash with water and soap and rinse thoroughly. If skin irritation persist, call a physician.
- · After eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Information for doctor

If decomposition products are inhaled the following symptoms can occur:

Unconsciousness, Impaired consciousness, Cyanosis (only CO2), Vomiting, Cardiac arrhythmias, Headache, Spasms, Circulatory collapse, Dizziness, Impairment of vision, Nausea

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

Monitor circulation, possible shock treatment.

Possibly oxygen respiration treatment

If blue colouring appears (lips, ear-lobes, finger-nails), oxygen respiration treatment as quickly as possible.

(Contd. on page 3)



Printing date 27.08.2013 Version number 2 Revision: 27.08.2013

Trade name: DX-Cartridge

In cases of irritation to the lungs, initial treatment with Dexametason metered aerosol.

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents Water spray, carbon dioxide (CO2), carbon dioxide blanket, foam, or dry powder.
- · For safety reasons unsuitable extinguishing agents Not applicable
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

In the event of fire, wear self contained breathing apparatus

EN 12941 / EN 12942

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- · Methods and material for containment and cleaning up:

Pick up loose cartridges only by hand.

Exposed ingredients must be swept up carefully and phlegmatized in a water container, labelled according the regulations, wipe down with water the contamined area.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

- · Handling
- · Precautions for safe handling

No special precautions necessary if used correctly.

Provide sufficient air exchange and/or exhaust in work rooms. When using, do not eat, drink or smoke. Ingestion, exposure to skin and eyes and inhalation of any general vapours should be avoided.

 \cdot Information about protection against explosions and fires:

Prevent impact and friction.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers:

Store only in the original container.

Keep in a cool, dry and dark place; 5 °C to 25 °C.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from foodstuffs.

\cdot Further information about storage conditions:

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Protect from humidity and keep away from water.

- · Storage class 1
- · Specific end use(s) No further relevant information available.

AU EN



Printing date 27.08.2013 Version number 2 Revision: 27.08.2013

Trade name: DX-Cartridge

(Contd. of page 3)

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

55-63-0 glycerol trinitrate

NES Long-term value: 0.46 mg/m³, 0.05 ppm

Sk

122-39-4 diphenylamine

NES Long-term value: 10 mg/m³

CAS No. Designation of material % Type Value Unit

· Additional Occupational Exposure Limit Values for possible hazards during processing:

630-08-0 carbon monoxide

NES Long-term value: 34 mg/m³, 30 ppm

124-38-9 carbon dioxide

NES Short-term value: 54000 mg/m³, 30000 ppm Long-term value: 9000 mg/m³, 5000 ppm

- · Additional information: The lists that were valid during the compilation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not applicable
- · Penetration time of glove material Not required.
- · Eye protection:



Safety glasses

EN 166 / EN 170

· Body protection:



When using setting tools, sufficient ear protection must be worn.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid.

Colour: According to product specification

Odour: Not determined
 Odour threshold: Not applicable
 pH-value: Not applicable.

· Change in condition

· Inflammability (solid, gaseous)

Melting point/Melting range:
Boiling point/Boiling range:
Not determined
Not applicable

Not determined.

· Ignition temperature: Not determined

(Contd. on page 5)



Printing date 27.08.2013 Version number 2 Revision: 27.08.2013

Trade name: DX-Cartridge

		(Contd. of page 4)		
· Decomposition temperature:	Not determined.			
· Self-inflammability:	Product is not selfigniting.			
· Danger of explosion:	Not determined.			
· Critical values for explosion:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapour pressure:	Not applicable.			
· Density	Not determined			
Relative density	Not determined.			
· Vapour density	Not applicable.			
· Evaporation rate	Not applicable.			
· Solubility in / Miscibility with				
Water:	Not applicable			
· Partition coefficient (n-octanol/water): Not applicable				
· Viscosity:				
dynamic:	Not applicable.			
kinematic:	Not applicable.			
· Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

Temperatures > 150 °C

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

acids

alkalis (caustic solutions).

 $\cdot \ Hazardous \ decomposition \ products:$

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

11 Toxicological information

· Information on toxicological effects

No harmful effects are to be expected if used properly.

The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effect known.

12 Ecological information

· Toxicity

No harmful effects are to be expected if used properly.

The contained ingredients can be harmful, but they are hermetically enclosed in the article and can not be released. The dismantling of the article is prohibited.

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

(Contd. of page 5)



Safety data sheet according to NOHSC:2011 (2003) / ISO 11014

Printing date 27.08.2013 Version number 2 Revision: 27.08.2013

Trade name: DX-Cartridge

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Generally not hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

For disposal, local regulations issued by the authorities must be observed.

Completely discharged cartridges strips may be disposed of as household or factory waste. No hazardous waste.

· European waste catalogue

16 04 01* waste ammunition

- · Uncleaned packagings:
- · Recommendation: Non contaminated packagings can be used for recycling.

14 Transport information

- · UN-Number
- · ADG, IMDG, IATA UN0323
- · UN proper shipping name

· ADG UN0323 cartridge, power device

· IMDG, IATA Cartridge, power device

- · Transport hazard class(es)
- · ADG, IATA



• Class 1 Explosive substances and articles.

• **Label** 1.4

· IMDG

• Class 1 Explosive substances and articles.

· Packing group

· ADG, IMDG Void

· Environmental hazards:

· Marine pollutant: No

• Special precautions for user Warning: Explosive substances and articles.

• EMS Number: F-B,S-X

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN ''Model Regulation'': UN0323, cartridge, power device, 1.4S

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Chemical Substances

All ingredients are listed.

(Contd. on page 7)



Printing date 27.08.2013 Version number 2 Revision: 27.08.2013

Trade name: DX-Cartridge

(Contd. of page 6)

· Standard for the Uniform Scheduling of Drugs and Poisons

None of the ingredients is listed.

- · National regulations
- · Information about limitation of use: Employment restrictions concerning young persons must be observed.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

15245-44-0 lead 2,4,6-trinitroresorcinoxide

· Chemical safety assessment: not required.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H200 Unstable explosives.

H225 Highly flammable liquid and vapour.

H300 Fatal if swallowed.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing data specification sheet:

Hilti Entwicklungsgesellschaft mbH

Hillistrasse 6

D-86916 Kaufering

Tel.: +49 8191 906310

Fax: +49 8191 90176310

df-hse@hilti.com

· Contact: Mechthild Krauter

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

* * Data compared to the previous version altered.

AU EN